

**HAND IN**

Questions recorded on exam paper

Student ID

---

Page 1 of 9 pages

**QUEEN'S UNIVERSITY**  
FACULTY OF ARTS & SCIENCE  
SCHOOL OF COMPUTING

**CISC-102 - DAVID RAPPAPORT**  
FINAL EXAMINATION  
December 13, 2014

**INSTRUCTIONS TO STUDENTS:**

This examination is 3 HOURS in length.  
There are three sections to this examination.  
Please answer all questions in the exam.  
No aids are allowed.

GOOD LUCK!

**PLEASE NOTE:**

**“Proctors are unable to respond to queries about the interpretation of exam questions.  
Do your best to answer exam questions as written.”**

This material is copyrighted and is for the sole use of students registered in [the course] and writing this exam. This material shall not be distributed or disseminated. Failure to abide by these conditions is a breach of copyright and may also constitute a breach of academic integrity under the University Senate's Academic Integrity Policy Statement.

---



(d) ( 2 )  $R$  is a function.

(e) ( 2 )  $R$  is an invertible function.

4. Let  $R$  be the relation on the natural numbers defined by

$$R = \{(x, y) : x, y \in \mathbb{N}, x^2 + y^2 \leq 8\}.$$

(a) ( 2 ) Write out the elements of  $R$  as a set of ordered pairs.

(b) ( 2 ) Is  $R$  an equivalence relation, and explain why or why not?

(c) ( 2 ) Is  $R$  a partial order and explain why or why not?

5. The Division Algorithm Theorem can be written as:

$$a = bq + r \text{ and } 0 \leq r < |b|$$

For each of the following statements state whether it is true or false, and if it is false correct it.

(a) ( 2 )  $a, b \in \mathbb{R}$

(b) ( 2 )  $q$  and  $r$  are unique.

(c) ( 2 )  $q, r \in \mathbb{Z}$

6. Find the quotient  $q$  and remainder  $r$ , as given by the Division Algorithm theorem for the following examples.

(a) ( 2 )  $a = 23$ ,  $b = 8$

(b) ( 2 )  $a = -23$ ,  $b = 8$

(c) ( 2 )  $a = -23$ ,  $b = -8$

(d) ( 2 )  $a = 23$ ,  $b = -8$

7. Let  $a = 23$ , and  $b = 8$ . In the following  $\gcd(a, b)$  and  $\text{lcm}(a, b)$  respectively denote functions that return the greatest common divisor and least common multiple of  $a$  and  $b$ .

(a) ( 4 ) Find  $g = \gcd(a, b)$ . Show the steps used by Euclid's algorithm to find  $\gcd(a, b)$ .

(b) ( 4 ) Find integers  $m$  and  $n$  such that  $g = ma + nb$ , and show the steps that you used.

(c) ( 4 ) Find  $\text{lcm}(a, b)$ , and show the steps that you used.

8. Let  $a, b, c$  be Integers.

(a) ( 4 ) Prove that if  $a|b$  and  $a|c$ , then  $a|(b + c)$

(b) ( 4 ) Prove that if  $a|b$  then for any integer  $n$ ,  $a|bn$ .

- 
9. ( 5 ) The province of Ontario adopted the AAAA-000 licence plate format in 1997, where an A denotes any upper case letter, [A .. Z] (there are 26 letters), and 0 denotes a digit [0 .. 9]. How many different AAAA-000 licence plates can be assigned? Explain how you arrived at your answer.
10. ( 5 ) How many different permutations of the string "AAAGTCTGAC" are there? Explain how you arrived at your answer.
11. ( 5 ) There are 30 students in a gym class. The gym teacher must partition the students into 4 teams of 9, 8, 7 and 6 players. In how many ways can this be done? Explain how you arrived at your answer.
12. ( 5 ) A farmer buys 3 cows, 3 pigs, and 3 hens from a farmer who has 6 cows, 5 pigs, and 8 hens. How many choices does the farmer have for selecting his new animals?
13. ( 5 ) In how many ways can 25 dimes be distributed to 4 children if each child must get at least 2 dimes? Explain how you arrived at your answer.

14. Consider the following logical expressions. Determine whether the expression is true or false, and justify your answer using truth tables.

(a) ( 4 )  $p \rightarrow q \equiv \neg p \rightarrow \neg q$

(b) ( 4 )  $p \rightarrow q \equiv q \rightarrow p$


15. ( 5 ) Use induction to prove  $1 + 3 + 5 + \cdots + 2n - 1 = n^2$ , for all  $n \in \mathbb{N}, n \geq 1$ .

16. Consider the recursive function given by  $a_1 = 1$  and  $a_n = 3a_{n-1}$ .


(a) ( 2 ) Find  $a_2$ ,  $a_3$ , and  $a_4$ .

(b) ( 5 ) Using the values of  $a_2$ ,  $a_3$ , and  $a_4$  guess the value of  $a_n$  and prove that it is true using mathematical induction.

17. ( 5 ) A *simple  $n$ -gon* is a plane figure that is bounded by  $n$  line segments such that the interior of the polygon is a simply connected region. I have drawn a few examples below. The example at the far right is not a simple polygon because of self intersections and the non simply connected interior.



A *diagonal* is a line segment interior to the  $n$ -gon that partitions it into two parts, a  $k$ -gon and a  $j$ -gon, where  $k + j = n + 2$ . Examples are shown below.



A well known result is that one can always find a diagonal in an  $n$ -gon. Furthermore, it can be shown that non-crossing diagonals can be added to an  $n$ -gon so that the  $n$ -gon is partitioned into  $n - 2$  triangles. Use induction to prove this result for all  $n$ -gons,  $n \geq 4$ .

(Extra page)