

## Multiple Choice Questions

- 1) Objects are created from abstract data types that encapsulate \_\_\_\_\_ and \_\_\_\_\_ together.  
A) numbers, characters  
**B) data, functions**  
C) addresses, pointers  
D) integers, floats  
E) None of these
  
- 2) In OOP terminology, an object's member variables are often called its \_\_\_\_\_, and its member functions are sometimes referred to as its behaviors, or \_\_\_\_\_.  
A) values, morals  
B) data, activities  
C) attributes, activities  
**D) attributes, methods**  
E) None of these
  
- 3) Examples of access specifiers are the key words:  
A) near and far  
B) opened and closed  
**C) private and public**  
D) table and row  
E) None of these
  
- 4) This is used to protect important data.  
A) public access specifier  
**B) private access specifier**  
C) protect () member function  
D) class protection operator, @  
E) None of these
  
- 5) Class declarations are usually stored here.  
A) on separate disk volumes  
**B) in their own header files**  
C) in .cpp files, along with function definitions  
D) under pseudonyms  
E) None of these
  
- 6) This directive is used to create an "include guard," which allows a program to be conditionally compiled. This prevents a header file from accidentally being included more than once.  
A) #include  
B) #guard  
**C) #ifndef**  
D) #endif  
E) None of these

- 7) When the body of a member function is defined inside a class declaration, it is said to be \_\_\_\_\_.
- A) static
  - B) global
  - C) inline**
  - D) conditional
  - E) None of these
- 8) A \_\_\_\_\_ is a member function that is automatically called when a class object is \_\_\_\_\_.
- A) destructor, created
  - B) constructor, created**
  - C) static function, deallocated
  - D) utility function, declared
  - E) None of these
- 9) The constructor function's return type is \_\_\_\_\_.
- A) int
  - B) float
  - C) char
  - D) structure pointer
  - E) None of these**
- 10) When a constructor function accepts no arguments, or does not have to accept arguments because of default arguments, it is called a(n) \_\_\_\_\_.
- A) empty constructor
  - B) default constructor**
  - C) stand-alone function
  - D) arbitrator function
  - E) None of these
- 11) This type of member function may be called from a statement outside the class.
- A) public**
  - B) private
  - C) undeclared
  - D) global
  - E) None of these
- 12) If you do not declare an access specification, the default for members of a class is \_\_\_\_\_.
- A) inline
  - B) private**
  - C) public
  - D) global
  - E) None of these
- 13) A class is a(n) \_\_\_\_\_ that is defined by the programmer.
- A) data type**
  - B) function
  - C) method
  - D) attribute

E) None of these

14) Members of a class object are accessed with the \_\_\_\_\_.

- A) dot operator
- B) cin object
- C) extraction operator
- D) stream insertion operator
- E) None of these

15) This type of member function may be called only from a function that is a member of the same class.

- A) public
- B) private
- C) global
- D) local
- E) None of these

16) The constructor function always has the same name as \_\_\_\_\_.

- A) the first private data member
- B) the first public data member
- C) the class
- D) the first object of the class
- E) None of these

17) A class may have this many default constructor(s).

- A) only one
- B) more than one
- C) a maximum of two
- D) any number
- E) None of these

18) Objects in an array are accessed with \_\_\_\_\_, just like any other data type in an array.

- A) subscripts
- B) parentheses
- C) #include statements
- D) output format manipulators
- E) None of these

19) The process of object-oriented analysis can be viewed as the following steps:

- A) Identify objects, then define objects' attributes, behaviors, and relationships
- B) Define data members and member functions, then assign a class name
- C) Declare private and public variables, prototype functions, then write code
- D) Write the main() function, then determine which classes are needed
- E) None of these

20) When a member function is defined outside of the class declaration, the function name must be qualified with the \_\_\_\_\_.

- A) class name, followed by a semicolon
- B) class name, followed by the scope resolution operator

- C) name of the first object
- D) `private` access specifier
- E) None of these

21) If a local variable and a global variable have the same name within the same program, the \_\_\_\_\_ resolution operator must be used.

- A) variable
- B) ambiguity
- C) scope
- D) global
- E) None of these

22) For the following code, which statement is *not* true?

```
class Point
{
private:
    double y;
    double z;
public:
    double x;
};
```

- A) `x` is available to code that is written outside the class.
- B) The name of the class is `Point`.
- C) `x`, `y`, and `z` are called members of the class.
- D) `z` is available to code that is written outside the class.

23) Assume that `myCar` is an instance of the `Car` class, and that the `Car` class has a member function named `accelerate`. Which of the following is a valid call to the `accelerate` member function?

- A) `Car->accelerate();`
- B) `myCar::accelerate();`
- C) `myCar.accelerate();`
- D) `myCar:accelerate();`

24) What is the output of the following program?

```
#include <iostream>
using namespace std;

class TestClass
{
public:
    TestClass(int x)
        { cout << x << endl; }

    TestClass()
        { cout << "Hello!" << endl; }
};

int main()
{
    TestClass test;
    return 0;
}
```

- A) The program runs, but with no output.
- B) 0
- C) Hello!
- D) The program will not compile.

25) What is the output of the following program?

```
#include <iostream>
using namespace std;

class TestClass
{
public:
    TestClass(int x)
        { cout << x << endl; }

    TestClass()
        { cout << "Hello!" << endl; }
};

int main()
{
    TestClass test(77);
    return 0;
}
```

- A) The program runs, but with no output.
- B) 77**
- C) Hello!
- D) The program will not compile.

26) What is the output of the following program?

```
#include <iostream>
using namespace std;

class TestClass
{
private:
    int val;
    void showVal()
    { cout << val << endl; }

public:
    TestClass(int x)
    { val = x; }
};

int main()
{
    TestClass test(77);
    test.showVal();
    return 0;
}
```

- A) The program runs, but with no output.
- B) 77
- C) 0
- D) The program will not compile.**

### True/False Questions

1) True/False: Class objects can be defined prior to the class declaration.

Answer: FALSE

2) True/False: The constructor function may not accept arguments.

Answer: FALSE

3) **True**/False: More than one constructor function may be defined for a class.

4) **True**/False: Object-oriented programming is centered around the object, which encapsulate together both the data and the functions that operate on the data.

5) True/**False**: You must declare all data members of a class before you declare member functions.

6) True/**False**: You must use the `private` access specification for all data members of a class.

7) **True**/False: A private member function is useful for tasks that are internal to the class, but is not directly called by statements outside the class.

8) **True**/False: When an object is defined without an argument list for its constructor, the compiler automatically calls the object's default constructor.

- 9) **True**/False: One purpose that constructor functions are often used for is to allocate memory that will be needed by the object.