

**Compsci 1033B – Final Exam Notes****MULTIMEDIA AND COMMUNICATION**

- 7-15 seconds to make a good first impression, 4 min for someone to decide to go beyond first impression
- **MULTIMEDIA**: everything you can hear or see; Media include texts, books, pictures, music, sounds, CDs, videos, DVDs, MP3 players, iPods, records films etc
- **MUTLTIMEDIA** (technical): Describes any application or technology that can be used to present: Text, images, sound, animation video

**Software applications □ Delivery on the Internet Via Website □ Combined into an application to inform, educate, entertain**

- **Internet** – fast, cheap, and accessible (reaches people all over the world)
  - o # million – Asia 389, Europe 313, North America 232 (??)
  - o More users in Asia, but greater percentage of population in North America (70.9% vs 12.4%)

**Multimedia History Quiz**

- Earliest drawings/paintings by humans discovered in **France**
- The first permanent photograph was taken between **1820-1830**
- The first motion picture was recorded between **1880-1890**
- The first full length movie with synchronized dialogue (talkie) was **The Jazz Singer**
- One of the first full length movies to use colour was **The Wizard of Oz**
- **Arpanet** was the name of the predecessor to the internet
- **Tim Berners-Lee** invented the World Wide Web
- **Mosaic** was the first graphical browser for the World Wide Web
- **The Rolling Stones** was the first band to give a concert over the Internet
- **Toy Story** was the first full length feature film that was completely computer generated
- **Napster** was an application that revolutionized/irritated the music industry in 1999
- Digital cameras became fairly accessible and affordable to the public in **1996**

**Multimedia History**

- **1500-1300BC**: prehistoric humans paint images on the walls of their caves (Grotte de Lascaux, France)
- **1914**: silent movies incorporated multiple media be using film and text captions together

- **1928:** Walt Disney debuts the second short starring a mouse named Mickey, and the first cartoon to use synchronized sound (*Steamboat Willie*)
- **1928-1931:** Movies with sound replace silent movies
- **1930s:** Technicolor is introduced in film and most movies are filmed in colour after 1940
- **1937:** Bell laboratories had a breakthrough in creating dual sound tracks on film. *Fantasia* was the first commercial movie with a complete surround soundtrack in 1940
- **1969:** NETWORK TECHNOLOGY INTRODUCED ▯ **ARPANET**
  - o **ARPANET:** Advanced Research Projects Agency Network, 1969
  - o First packet switching network and predecessor to the internet (discussed in 1962)
  - o Objective: a network technology to allow researchers at various locations across the country to share information
  - o 4 locations in 1969 – UCLA, Stanford, UC Santa Barbara, University of Utah
  - o 1970 – East coast
- **1977:** Apple starts to dominate PC market
- **1981:** IBM PC announced and captures market share in 18 months
- **1991:** **WORLD WIDE WEB** debuts (**Tim Berners-Lee**)
- **1992:** MS Windows 3.1 is released
  - HTML debuts** – Basis for Website development
- **1993:** **Mosaic** – First graphical browser (web pages with images), by **Marc Andreessen, Erin Brina,** and **Tim Clark** (transformed internet from research to household)
- **1994:** **The Rolling Stones** become the first major band to broadcast a live performance over the internet (opening band on air first – Sever Tire Damage)
- **1995:** **Disney's Toy Story** – first feature length computer generated movie (77 minutes long, 4 years to make, 800,000 machine hours to render)
- **1996:** Affordable digital cameras widely available
- **1998:** **GOOGLE** search engine operates by **Larry Page & Sergey Brin**
- **1999:** Napster debuts, allowing users to download and share MP3s
- **2000s:** Integration of computer, memory storage, digital data, camcorders, MP3 players, Ipods, speakers, telephones HD TV and other technologies
- **Future:** multimedia will continue to grow into more than 1 \$100 billion industry with top three applications
  - **#1** – Entertainment \$15 billion

- #2 – Publishing \$7 billion
- #3 – Education/Training \$7 billion
- o E-learning, iTV (interactive TV)
- o Web 2.0 (sharing between users) – trend in web design, development, can refer to second generation of web-based communities and hosted services (social networking, wikis, blogs) which aim to facilitate creativity, collaboration, and sharing between users
- o Laptops becoming smaller, thinner, more powerful
- o Legal issues – copyright, rights management, piracy □ problematic since rapid technology changes
- o Better skills – strong understanding of media and moving images as well as traditional IT and programming skills

### Multimedia features

#### 1. INTERACTIVITY

- o **USER CONTROL** over the application
- o Experience **ACTIVE** rather than passive as with television
- o Examples: clicking on links on the internet, on-line computer-based exam, driving simulation

#### 2. HYPERLINKING

- o **INDEX** allows for “jumping” around sections
- o Vs **Sequential**: start at beginning and move to the end (books, movies, videos)
  - HTML has features that allows you to build hyperlinks to other webpages or location on the same page

#### - Computer Based Delivery

- o Computer-based multimedia applications **INTEGRATE** the various media components and **ALLOW** interactivity
- o Modes of delivery of the applications include: video games, interactive web applications, CD ROM disks, info kiosks

#### - Multimedia categories and applications

- o **Education** – offering instruction (CD-Roms for preschoolers, bio in virtual labs)
- o **Entertainment** – largest category (games (CDs/web), proprietary systems (X-box), MP3 players/ipods)

- o **Reference** – Encarta and interactive world atlas (interactive multimedia including sound, video, and 3-D animation to provide information and illustrate concepts)
- o **Business** – businesses delivering marketing applications and employee training on CD's and Internet (job openings, product lines, services)
- How should you deliver the application – WWW vs CD/DVD

	<b>CD/DVD</b>	<b>World Wide Web</b>
Access Time	View instantly by inserting into drive	May encounter slow connection speeds
Ability to change content	Cannot change content – must recreate and redistribute	Easy to update material, new updates can be accessed instantly

- **Required equipment**
  - o **Development systems**: systems used by multimedia developers to create applications
  - o **User systems**: systems used to playback multimedia applications
  - o Multimedia developer requires: sound card, video card, microphone, speakers, camera, DVD drives

## TEXT

- Dual role:
  - o **VISUAL** representation of the message
  - o **GRAPHICAL** element
- Use of text in multimedia applications varies on:
  - o **The type of application** – educational, entertainment, business
  - o **Audience** – children, teens, adults, elderly, ESL (less text for children vs adults)
- Changing the look of webpage by changing:
  - o **Text attributes** – colour, size, font type
  - o **Design/layout/placement of text** – bullets, alignment, text in groups
- Emphasis can be added by varying **text attributes**
  - o **Font type** – Arial, times new roman
    - **SERIF** – tails, script, body paragraphs (times, courier new, century schoolbook, palatino)
      - Tails = easier to read on paper

- **SANS-SERIF** – no tails, block-oriented, headings, titles (arial, verdana, Helvetica, comic)

□ Easier to read paragraphs on websites, short headings

- o **Style** – regular, bold italics
- o **Kerning** – space between adjacent individual characters, measurement expressed in “em” (emphasis) – negative, 0, positive values
  - Helps align multiple lines
- o **Leading** – vertical space between lines of text, measured in positive, 0, or negative points
  - lower value – closer together; higher value – further apart
- o **Size** – pts vs. pixels
- o **Colour** – red, blue, black...
- o **Special effects** – underline, shadows, superscript, subscript

#### - Text size – Pixels vs. Points

##### **PIXEL (.ppi aka dpi)**

unit of measure for monitor resolution (px)

-WEB

- # of pixels per inch of monitor display

-a display setting of: 1280x1024 has 1.3 million DPI, 800x600 has 480,000 DPI

-standard resolution on Mac – 72 dpi

-standard resolution on Windows – 96 dpi

-PC fonts 25% larger than mac fonts on websites

-fronts more precisely the size you want on the screen

-some browsers will not allow the text size to change (IE – no, FF – yes)

-<http://www.uwo.ca>

-print style sheets created to print text using points

\*develop websites using the pixel system

##### **POINTS (.dpi)**

unit of measure for printer resolution (pt)

-WORD

-# of dots per inch

-absolute type size – usually used in printing

-higher dpi = better resolution

-points are a PRINT unit of measure

-if web document – text expressed in points

-can be displayed much larger or smaller than you expect

-<http://www.largnet.on.ca/>

-Control over the viewing size

\*72 pts WILL ALWAYS BE 1 INCH WHEN PRINTED, regardless of what monitor it was processed on

10 px is SMALLER than 10 pts – NOT EQUAL

- **Text colour** - Hexadecimal code
  - o Represented as a number of 6 hexadecimal digits
  - o Made up of decimals (0-9) and letters (A-F)
  - o Represents **RRGGBB**
  - o Red = #FF0000, White = #FFFFFF, Black = #000000, Western = #660099
- **Text design – readability, visual appeal (compliment graphics, position), mood creation (headings sans-serif, body serif),**
  - o Avoid exotic fonts for consistency on different systems
  - o Use a max of 2-3 different types of fonts
  - o Use a max of 2-3 different colours in a document/website
  - o NEVER use underlining in a webpage
- **CRAP Principles of Webpage Design:**
  - o **CONTRAST**: avoid making 2 elements just similar – either made them same (colour/font) or VERY different
  - o **ALIGNMENT**: items are aligned – creates stronger cohesive unit
  - o **PROXIMITY**: group related items together \*physical groupings imply relationship
  - o **REPETITION**: repeat some aspect of the design throughout

## GRAPHICS

- We rely on images for – **Information, explanations, entertainment**
- Graphics originate from: non-digital medium (paper copy of a photo), outside world, create image
- **DIGITIZATION**: the process of translating a piece of information (text, images, sound recording, video) into **BINARY BITS**
  - o **BIT**: short for Binary Digit, value of “1” or “0” – fundamental units of information in a computer system
  - o When press a key, **binary code sent to RAM (memory)** □ CPU □ Video card □ On screen
  - o **Measurement system** – binary system (base of 2, exponent = number of bits)
  - o **BYTE**: collection of **8 bits** □ **(2<sup>8</sup>) = 256** possible combinations of 1s and 0s

- **Ex:**  $2^1 = 2$  values (0, 1),  $2^2 = 4$  values (00, 01, 10, 11)...
- **IMAGE:** represented by a grid (array, matrix) of squared picture elements called **PIXELS** (the **smallest image component** and thus shows the smallest detail)
  - o **Pixel** – numerical value corresponding to a COLOR INDICATOR (bw or colour)
  - o **640x480 screen** – 640 dots on each of 480 rows  $\square$  300,000 pixels
- **Coding colors**
  - o Black/white = 1 bit ONLY (0 = black, 1 = white)
  - o 2 bits – combination of black and white (01/10)  $\square$  grey
  - o More bits, more shades... 4 bits  $\square$   $2^4 = 16$  grey shades

**Used for web****Additive Model** (RGB)

Primary colours: Red, Green, Blue

“**added**” to a black background in order to obtain color shades**Used for printing****Subtractive Model** (CMYK) (k=black)

Primary colours: Cyan, Magenta, yellow

“**subtracted**” from a white background

- In “**TRUE COLOR**” each pixel represents some color shade – Uses **24 bit** representation = 16 million colors
- Color can be expressed in:

**RGB Code**

Each pixel is represented by 3 values

-ie: light yellow = &lt;255,255,127&gt; &lt;R,G,B&gt;

Syntax:

Each value ranges from 0-255

256 color shades =  $2^8$  bits-16 million colors in the spectrum ( $256^3$ )

Red: &lt;255,0,0&gt;

Green: &lt;0,255,0&gt;

Blue: &lt;0,0, 255&gt;

**Hexadecimal Code**

-consists of 16 unique symbols:

0,1,2,3,4,5,6,7,8,9,E, and F

-color represented by 6 digits: ie, #FFCC66

Red: #FF0000

Green: #00FF00

Blue: #0000FF

-Web-safe colors: only 1,3,6,9,C,F

- o RGB does not = Hexadecimal, need converter
- o Cathode ray tube devices (such as computer monitors) can only display colour with red, green and blue light – this is the color system of the web
- **Types of Graphics** – Bitmap or vector – effects how graphics are displayed on a computer screen: Quality, file size, time to display graphics

**BITMAP** (zoom in to pixels)

- images made up of small squares called Pixels
- Editing pixels: changing color, shade, brightness

**Advantages** of using a small image rather than larger:

- shorter time needed to display on screen
- smaller file size

**Disadvantages:**

- distortion occurs when image is enlarged
- as image is enlarged (resized):
  - Dots become larger, edges more jagged
  - Quality decreases
  - File size increases

\*\*Vector CANNOT be converted to Bitmap, but Bitmap CAN be converted to vector

**BITMAP-BASED programs “PAINT”**

- ability to edit an image’s pixels
- images from scanners, cameras

**VECTOR** (zoom in, no pixels)

- image is represented with lines and arcs that have a mathematical relationship
- describes the drawing of the shape

- **Line**: starting point, direction length
- **Rectangle**: start point, width height
- **Circle**: center and radius

\*SMALLER FILE: records mathematical relationship

-as image enlarged (resized):

- Dots become larger, edges still clean, crisp
- Quality is maintained – no distortion
- File size increase

**VECTOR Graphics programs – “DRAW”**

- greater control and precision with free-hand tool
- display more accurately on screen
- download faster because support of Flash and

-need a "PAINT" program

Scalable Vector Graphics (SVG formats)

-produce smaller files that download faster

-more details in vector-based illustrations

-must use a "DRAW" program – draw and edit paths

Photoshop, paintshop pro, photoplus

Adobe illustrator or Macromedia FreeHand, Corel Draw

(but photoshop v6.0 has vector features)

- **Graphic Attributes** □ IMAGE QUALITY: Image resolution, image bit depth

- o **IMAGE RESOLUTION** (./dpi): the number and spacing of pixels in an image
  - The number of pixels per square inch on a computer-generated display
  - Ex: if resolution 100 ppi, each pixel 1/100<sup>th</sup> inch
  - When you increase the number of pixels, increase quality of detail in the resolution
  - For different output delivery:
    - Web – set to 72 dpi (smaller graphics, don't see detail)
    - Laser Printers – 300-600 dpi
    - High end imagesetters – 1200 dpi, 2400 dpi, or higher (newspapers/magazines)
  - **Image size**: the physical dimensions of an image
  - If number of pixels in an image is FIXED:
    - decreasing the size of an image increases its resolution (crisper edges)
    - increasing the size of an image decreases its resolution (pixelated, jagged)
- o **IMAGE BIT DEPTH** (aka **COLOR DEPTH**): maximum number of colors used to represent an image
  - The more bits used the more color info stored to describe the color of a pixel
    - Quality improves and larger file size
  - Human eye can detect about **10 million colors**, therefore, storing more than 10 million colours is pointless, so we only use 24 bit color (16 million colours)

- **File formats**

- o **Universally supported files**: universally  
suppoooppoppoopopossssssoooohawtriiightnaonawtpooptataytaydeletemeploxnigggggggj  
aihobrainzdiedddddddddddddddddddported by graphics industry □ JPG, GIF
  - When an image is being sent to another application, convert to JPG or GIF
- o **Proprietary files (NATIVE FILES)**: Default files used by specific software application, can be Bitmap or vector formats □psd, dwg, pic – can save in native format or universal format
  - **PSD**: Adobe Photoshop, **AUP**: Audacity, **MVMM**: moviemaker
  - Not meant to be transferred to other applications
  - Software-specific image properties can only be retained when an image is saved in the software's native format (layering in photoshop)
- o **EPS/EPSF**: Encapsulated Postscript – vector
- o **GIF**: Graphics interchangeable format – Bitmapped
- o **JPG/JPEG/JPE**: Joint Photographic Experts Group – Bitmapped
- o **CDR**: CorelDraw – vector
- o **DWG**: Autocad – Vector

- **Bitmapped graphic**
- May see it as “CompuServe GIF” since CompuServe created it
- One of two **standards used on the Web** without plug-ins
- **Gif format only supports up to 256 colors**

### Graphics Interchange Format

(.GIF)

- Standard **bitmapped format** on the Windows platform
- Supported by most Windows applications.

### Windows Bitmap

(.BMP)

- **Vector based** graphic
- Popular image files since they can be imported into nearly any application.

### Encapsulated Postscript

(.EPS, .EPSF)

- Most widely used **bitmapped** file format
- Supported by **image-editing applications, scanning software, page-layout programs, and word processing software.**
- Supports bit depths from 1 to 32 bits
- Cross platforms for MAC, PC, and Unix systems
- Most commonly used when the **output is printed**

### Tagged Image File Formats

(.TIF, .TIFF)

## File Extension

## File Format

- **Proprietary format** used with Adobe PhotoShop
- PhotoShop is popular in editing images, and so many other software support this format

### PhotoShop (.PSD)

- **Bitmapped graphics**
- Creates a very **compact file**, thus easy to transmit across networks (due to compression)
- One of two **graphic file formats supported by the World Wide Web** without plug-ins

### Joint Photographic Experts Group

#### (.JPG, .JPEG, .JPE)

- Used by the PC Paint program (**bitmapped**)

### PC Paint (.PIC)

- Kodak's Photo CD graphics file format
- **Bitmapped** format that contains different image sizes for each photograph

### Photo CD

#### (.PCD)

- **Vector-based** graphics format used with CAD (Computer Aided Drafting) and drawing programs

### AutoCAD

- **Vector based software**
- Popular for desktop publishing ie. Brochures, pamphlets

### CorelDraw (.CDR)

- **This is a metafile, bitmapped, and/or vector-based file created by Microsoft**

### Windows Metafile (.WMF)

## File Extension File Format

- Sources of Graphics □ graphics must be in DIGITIZED form to use in multimedia application
  - o **Digitized cameras, camcorders:** captures images and digitizes them into computer images through its software
  - o **Scanners:** digitizes drawings, illustrations, and 3D objects into computer images using its software
  - o **Internet sites:** free clipart, on-line stock photo library (\$\$)

- **Graphics Programs**

**Illustration (aka Drawing programs)**

-work with VECTOR images

-vector-based drawing programs allow more flexibility when creating artwork that is to be resized or must go through multiple edits

Logos

Examples: adobe illustrator, CorelDraw, Macromedia Freehand

**Photo/Image Editors (aka paint programs)**

-work with BITMAP images

-Bitmap graphics tools are needed for working with photos, scans, or other “realistic” images

Superior than illustration programs for final output of images for web/special effects

Examples: Adobe photoshop, Corel Photo-paint, Jasc Paint Shop Pro

## SERVERS AND UPLOADING

- **Uptime**: how long does server stay up
- **Upload**: transfer files to server so they can be displayed on the web
- Advantages of a server:
  - 1) Connected: on all the time and connected to internet
  - 2) Always available: website always available since always on
  - 3) Taken care of: security and maintenance by people
- **Panther**: name of computer, “server”, that hosts uwo website
  - o Host name: panther.uwo.ca
  - o User website: <http://www.publish.uwo.ca/~username>
- **FTP**: file transfer protocol
  - o Ex: SSH Secure File, Filezilla, WS-FTP, Fugu (for mac)
  - o Some file transfer programs do not connect to all servers
- **S-FTP using Secure shell**
  - o **SHELL CLIENT**: can type in commands by hand – but it’s in Unix
  - o **FILE TRANSFER CLIENT**: allows us to transfer files to panther –
  - o Setting permissions:
    - Sometimes you can’t see your files on internet because files are “locked” after uploaded
    - **Solution 1**: change file “permissions” – Every time you upload new file, go to Shell window and type in “publish
    - **Solution 2**: change file “permissions” – using Secure File Transfer, everytime you upload new file change permission rights on that file or folder (change properties)
      - “**Horseshoe**”– checkmarks shaped in an upside down “u”
      - 644 for file, 755 for folder

### How images are used

- **For printing**: 1) Quality, 2) File Size
- **For the Web**: 1) File Size, 2) Quality (DOWNLOAD speed) – objective – download website as quickly as possible

**OPTIMIZE IMAGES:** reduce the file size (download time) without compromising image Quality

- **1) File formats** – choose jpg or gif
- **2) Reducing color resolution** – 24 bits, 16 bits, 8 bit
- File formats acceptable on the web: gif, jpg, png

**.GIF** – Graphics interchange format

-attributes file format

-compression

-color resolution

-dithering

-interlacing

-transparency

-supports a max of **8-bit color** scheme (8 bits/pixel = **256** colours) - good for clip art, not photos

-best for large areas of solid, flat color

-uses: illustrations, logos, text as graphics, cartoons, buttons

**\*\*tiny file size and limited colors**

**“LOSSLESS”** compression – no data discarded during compression ☐ QUALITY KEPT

**.JPG** – joint photographic experts group

-attributes file format

-compression

-progressive jpeg

**\*\*distorts edges where there is sharp contrast**

**ARTIFACTS:** noise/specs around the image

-common image format used on the internet

-cross platform

-stores full color information – max **24 bits/pixel (16 million colors)**

-best for: blends of color, softer shadow effects and subtle changes in color

-NOT for well defined lines or sharp contrasts between colors

-uses: photos, computer games, screenshots, stills from a movie

**\*\*larger file size but full color scheme**

**“LOSSY”** compression – data is discarded each time file compressed ☐ QUALITY DEGRADES

Compression techniques:

- GIFs – **“LOSSLESS” compression** ☐ no discard of data
  - o Does not get blurry or mess
  - o Uses simple technique called LZW compression to reduce files sizes of images by finding repeated patterns of pixels

- o Never degrades image quality
- **JPGs** – “**LOSSY**” **compression** □ discards data
  - o Not all information in original image is preserved – NOT the same as original
  - o Degrades image quality
  - o Compression achieved by “forgetting” certain details about the image, which JPG fills in later when it is displayed
  - o Degree of lossiness can be varied by adjusting compression parameters
    - 0% compression = 100% quality, 95% compression = 5% quality
  - o \*work with image in native format then save final in jpg
  - o Uses compression algorithm which can be applied on sliding scale
  - o When saving jpg image, can generally select quality or compression ratio of final image
  - o Observations:
    - Quality of JPEG file is proportional to the file size (quality File Size )
    - Higher image quality setting (has a lower compression value) results in less data being discarded ( compression (smaller version) Quality File size )
- **Color resolution**
  - o GIF control: color resolution (number of colors) support 8-bit color – 256, 128, 64, 32, 16, 8 bytes
    - By changing the color resolution (bit depth) can lower download time
- **BMP files** – no compression, stores information about each pixel, each pixel is 1 byte
- **GIF files** – divide image into shapes on a grid (startx, starty, endx, endy, color)
  - o Each shape records 5 bytes
  - o Another way:
    - Looks for patterns: ex: 12345123451234512345, 1=12345 □ 1111
    - Builds a decoding hash table (1 = 12345)
- **JPEG files** – conversion programs try to save information about brightness (human eye pays more attention to brightness than color details). If it finds two adjacent pixels with very similar colors, store both pixels as same color and discard other color
- **DITHERING**: (when saving GIFs) most common method of reducing the color range of images down to the 256 colors seen in 8-bit GIF images

- o Juxtaposing pixels of two colors to create the illusion that a third color is present (grainy look)
- o **BROWSER SAFE PALLETE**: 216 colors honoured between browsers, operating systems, and computer platforms
- o If image uses color hues outside browser safe palette automatically dithers displayed image
- o **Juxtaposes** coloured pixels from browser-safe palette in order to simulate any color which is not in palate
- o Can reduce number of colors in a GIF and choose options to control the way colors dither in application or browser
- **Interlacing technique**: how images downloaded to your screen (applies to GIF files)
  - o Process by which image is drawn in a series of passes rather than all at the same time (file size bigger) – see full image, gets clearer as downloads
- **Transparency**: allows page background to display through the image so the image appears to have no visible border around it □ supported by **GIF** and **PNG ONLY**
- **PNG** (Portable Network Graphics)
  - o Developed as replacement for GIF due to legal issues with LZW compression – starting to replace
  - o **LOSSLESS compression** (no discarded)
  - o Allows images to have up to 48 bit color (but would never be necessary) – more for photos
  - o Can set which color bit depth you want to make file sizes smaller
  - o Supports **OPACITY** and **TRANSLUCENCY** (shines through)
  - o **Advantages of PNG:**
    - Lossless compression
    - Smaller/same size as GIFs keeping lossless (5-25% smaller)
    - PNG better than JPG with images that contain text or line art
    - Supports **opacity** and **translucency**
  - o **Disadvantages of .PNG:**
    - Older browsers may not support
    - **No animation** (unlike GIFs)
    - File size for 24 bit color photographs bigger than JPG files

<b>.GIF</b>	<b>.JPG</b>
<ul style="list-style-type: none"> <li>line art, logos, or illustrations (preserves sharp detail) -significantly better on images with only a few distinct colors, such as line drawings and simple cartoons)</li> </ul>	<ul style="list-style-type: none"> <li>photos, computer game screenshots, stills from a movie (realistic shots – JPG is superior to GIF for storing full-color or gray-scale images of "realistic" scenes)</li> </ul>
<ul style="list-style-type: none"> <li>8 bit color resolution max</li> </ul>	<ul style="list-style-type: none"> <li>24 bit color resolution (higher compression than .gif)</li> </ul>
<ul style="list-style-type: none"> <li>Lossless compression</li> </ul>	<ul style="list-style-type: none"> <li>"Lossy" format</li> </ul>
<ul style="list-style-type: none"> <li>Supports Dithering</li> </ul>	<ul style="list-style-type: none"> <li>Does not support dithering</li> </ul>
<ul style="list-style-type: none"> <li>Allows for transparency</li> </ul>	<ul style="list-style-type: none"> <li>Does not support transparency</li> </ul>
<ul style="list-style-type: none"> <li>Interlace process</li> </ul>	<ul style="list-style-type: none"> <li>Progressive jpeg</li> </ul>
<ul style="list-style-type: none"> <li>Animation</li> </ul>	<ul style="list-style-type: none"> <li>Not for animation</li> </ul>

- Reduce the download time by using any or all combinations:
  - 1) Reduce file size
  - 2) Choosing .jpg or .gif formats
  - 3) Reducing color resolution (24 bits, 16 bits, 8 bits)
- **Goal: download web page fast** – download time effected by graphic file size and file format
  - o **File size**
    - Use smaller sized graphics expressed in "KB" measurement to reduce amount of webspace needed to store image
    - Recommended file size for graphics on the internet is no larger than about 100KB, otherwise it will add seconds to download time
  - o **File Format:** .GIF or JPG rather than BMP, TIFF or other
  - o Most graphics software can export from any extension to .jpg or .gif

## WEBSITES

- Why build a website
  - o Reach potential customers
  - o Details on services/products providing testimonials
  - o Window shopping
- Canadians purchased \$40 billion online, 28 hours online each month, 1/373 web pages/CAN household

- Web searches worldwide = 5.7 billion per day
- **EBAY** – online auction and shopping, March 2008 revenues \$8.7 billion
  - o **Sept 1995** – **Pierre Omidyar** – Echo Bay consulting, “broken” Laser pointer
  - o **Sept 1996** – **Jeff Skol** (Movie producer) – Marketplace for goods and services
  - o **Sept 1998** – went public – **Meg Whitman** (Harvard, Hasbro) – Vision: “connecting” people
  - o **John Donahoe** – CEO of Ebay

### Website Startup

- **THE INTERNET**: a collection of local, regional, national and international computer networks that are linked together to exchange data and distribute processing tasks
- **HOST**: a computer on the internet that provides services such as web pages, emails, web storage
- **ISP**: internet Service Provider □ Western, Bell, Rogers, Execulink, Costco
  - o Allows one to connect to the internet
  - o Company that maintains an internet host computer providing internet access and user account for accessing internet, e-mail box, webspace to host website
  - o offers connection via telephone lines, cable TV or personal satellite dish
- data travels from one internet host to another along **best route**, if links overloaded/out of service – **rerouted**
- **IP** (Internet Protocol) **Address**: uniquely identifies each computer/device connected to the internet
  - o An IP Address is 32 bits (4 bytes) wide and may be represented various ways
  - o Binary, decimal, hexadecimal, **dotted-quad** (most popular) = 192.102.249.3
  - o Each quad must be between 0-255
- **DOMAIN NAME**: the text name corresponding to the numeric IP address of a computer on the internet
  - o **\*only what comes after www** – ex: uwo.ca (129.100.0.45); csd.uwo.ca (129.199.19.247)
  - o 2 parts – identifies the NETWORK and the specific COMPUTER
  - o When browsing a website, IP address determines successful communication between your computer and website

- o Process – every time you type a domain name: Internet server (called DNS) translates domain into IP address so data can route to the correct computer
- Finding your IP address – [www.showmyip.com](http://www.showmyip.com), [www.whatismyip.com](http://www.whatismyip.com)
- Finding IP address of any website – Command prompt type ping and the website
- **URL**: Uniform Resource Locator – an Address of a web document on a computer
  - o Every webpage is referred to by a unique URL


<http://www.uwo.ca/its/courses/spring.html>

- 1) **Hypertext Transfer Protocol**: rules that define how data is exchanged between servers and browsers
  - 2) **World Wide Web**: indicates file is on the World Wide Web
  - 3) **Domain name**: The name of the site
  - 4) **Path and File**: tells browser where to find page(s)
- **Domain name rules**
    - o Max of 67 characters (including extension)
    - o 0-9, a-z
    - o Dash character (hyphen)
    - o NO UNDERLINE, no spaces, cannot start or end with dash, case insensitive, no \_
    - o Must end with a domain extension - .net, .com, .org... (TLD)
  - **SUBDOMAIN**: a domain that is part of a larger domain, two or more parts (labels) separated by “.”s
    - o <http://www.en.wikipedia.org> – domain name: Wikipedia.org, Subdomain: “en”
    - o Used to organize website content
      - o <http://year2005.mycorvettes.mycars.com>
      - o **.com** is the first level domain (**top level domain** □ TLD)
      - o **Mycars** is the second level domain □ mycars.com is the DOMAIN
      - o **mycorvettes** is the third level domain – subdomain of the domain “mycars.com”
      - o **year2005** is the fourth level domain – subdomain of “mycorvettes.mycars.com”
    - o Rules:
      - Max of 127 labels (each level is a label)

- Each label max 63 characters long, min 3 characters
- But whole domain cannot exceed 255 characters, including TLD
- **TLD**: identifies the type of organization that is associated with the domain
  - o **.com** (commercial organization, business, companies), **.net** (internet administrative site, network providers), **.org** (non-profit organizations), **.edu** (educational institutions), **.gov** (government agencies), **.info** (information), **.biz** (business), **.ca** (Canada), **.us** (united states)....
- Choosing domain name – pay on a per year basis, must re-new
  - o search: mydomain.com, yahoo.com, godaddy.com, register.com...
- **WEB HOSTING**: the SERVICE that provides internet users with online systems for storing information, images, video, or any content accessible via the web
  - o **WEB HOSTS**: (ISPs) COMPANIES that provide space on a server they own for use by their clients as well as providing internet connectivity (rogers, executlink, AOL...) \*\*files must be hosted on webserver provided by ISP to be available on the internet
  - o **Why not to host website on your computer**:
    - Expensive, continual connection (needs 24/7 high speed connection), technical (complicated), support (server maintenance requires 24 hour support, skills, knowledge)
  - o **Criteria for choosing web hosting company**: disk space (5-10GB), bandwidth (amount of traffic that is allowed to occur between your website and the rest of the internet in a given time period), web site speed, database/programming language support, technical support, uptime, FTP access, web statistics summary, scripts availability, web provider

### Effective Website Design

- Good features:
  - o KISS Principle (Keep it simple, stupid)
  - o Consistency
  - o Color
  - o Balance
  - o Easy to navigate
- Creation Cycle:



- 1) **Planning and Design** – Meet with client, decide on colors, fonts, background, links
    - o ALWAYS call splash page index.html – that way domain name leads right to it
  - 2) **Implementation** – who will maintain? straight HTML programming vs Web page software? complexity, KISS principle, CRAP principles, Test in Netscape, explorer, firefox, documentation
  - 3) **Publish** – Web space, use FTP software, upload once website is ready, Back up files
  - 4) **Maintenance** – who is maintainer, training, update frequently, documentation, backup information
    - o Make sure allow for frequent updates in design
- **Implementation: Designing for Web**
- o **WEB PAGE**: HTML (hypertext markup language) – computer instructions used to create web page, browser reads html code
    - HTML – cross platform, any computer can read
    - HTML Tags: <tag> xxxxxx </tag>
  - o **WEB SITE**: collection of web pages created and maintained by an individual/organization
  - o **WEB SERVER**: computer that stores web pages and makes them available for people to see on the internet
  - o **WEB BROWSER**: program that allows you to view the internet (IE, FF, Netscape, Safari...)
- Web Authoring Software – WYSIWYG (what you see is what you get)
- o Dreamweaver: web page editor and site management tool
    - **SITE MANAGEMENT**: organize files/folders, moving files, rearranging pages and updating links easily
    - records HTML code as you build

- o Interface:
  - **Document window**: area where you build webpage
  - **Panels**: provide you with commands/properties and characteristics of the current object or task you are busy with – can move them, most common floating is property inspector
  - **Site panel**: folder that you are currently working on, gives filenames, path directory, etc
  - **Property panel**: characteristics of objects/text that you have inserted (size, color, font)
- o Navigation styles – make sure consistent between pages
- Creating a New Site
  - o ALWAYS identify to Dreamweaver: the folder where your website will be stored through Manage Sites
    - New site: no files exist yet, but will be creating them
    - Folder/files exist: but never worked with files in DW
  - o Identify Site name (descriptive name) and local root folder (where all pages stored)
  - o File names:
    - Do not use spaces in file names and folders (allowed - %20 = space)
    - Do not use capital letters – PANTHER IS CASE SENSITIVE
    - **.htm** (hypertext Markup) – DW versions prior to 8, based on Dos/windows 3.x
    - **.html** (hypertext markup language) – DW 8
    - **.shtml** (server side includes) means that html document has special commands for the server to process
    - **.cgi** (common gateway interface) – instructions that causes events to happen on server by executing programs written in perl, c..., used for database access, forms processing
    - **.asp** (active server pages) – scripting language developed by MS, script embossed within a webpage along with its HTML, causes active server side processing
      - Same function as .cgi but integrated into Active X environment
    - **.php** (hypertext pre-processor) – alternative to asap, script language and interpreter used primarily on Linux web servers, empeded within web page along with its

HTML, before page sent to user that has requested it, server calls php to interpret and perform the operations called for in the script

- o **Script:** special instructions beyond DW commands
- View Layouts:
  - o Design view: shows WYSIWYG view
  - o Split: combo of both views (design and code)
  - o Code View: shows your HTML code
- Page Title Property: associates a general description of what webpage is about – an identity
  - o Displays title on first line (title bar) when page open in browser window (CHANGE FOR EACH PAGE)
  - o Important: when printed, identity
- Entering Text
  - o Automatic line wrapping
  - o width of paragraph depends on width of web browser window (unless in table or CSS style sheets)
  - o paragraph break – leaves blank line between lines (<p> HTML tag) – Press <ENTER>
  - o Line Break – no space between lines (<br> HTML tag) – press <SHIFT><ENTER>
- **Formatting Text**
  - o Control:
    - Headers – H1, H2, H3, H4, H5, H6 (predefined approximate sizes and bolds text)
    - Text color
    - Text Size – use pixel system (pts larger)
    - Font type
    - Special effects – bold, italics, underline etc – DO NOT USE UNDERLINE
  - o Indenting paragraphs
- **Page properties:** (set defaults)
  - o Set background color, background images
- **Graphics** – enhances appearance of a web page
  - o Images from scanner, digital camera, clipart, internet

- o Formats – gif (clipart), jpg (photo), png
- o Lower download times – use smaller sized graphics, resize larger image in graphics package not DW
- o Optimize: color resolution, compression will affect quality and size
- **Download time of page:** Benchmark: 56k modem speed, max of 30-35 seconds
  - o See status bar – total size appears in kb (edit>preferences>status bar)
- **Image attributes** – using property inspector: size, space around image, border, alternative text, alignment, sharpen, contrast, crop
  - o **Alternative Text:** caption in browser, displays text associated with the image
    - May display while graphic loading, or if using a text only browser
    - To meet “barrier free access”
    - For Firefox: insert `title="xxxxx"` before `alt="xxxxx"`
- Links
  - o To another web page within your site in your folder – point to the file
  - o To another website on the internet (start with `http://`)
    - Use target field to open in new window – set to “**\_blank**”
    - Type URL address directly
  - o To an e-mail address
    - Select text for hyperlink, insert e-mail link `mailto:johnsmith@uwo.ca`
  - o Creating an image hyperlink
    - Select image, in property inspector click on folder, select path directory
  - o Create multi-links within an image – image map (HOTSPOTS)
    - Select image, type descriptive name in map field, click on drawing tool, draw an area on image, click folder and indicate file associated with hotspot
  - o To jump to a specific spot (other than beginning of the webpage) within a web page (setting bookmarks, anchors, targets)
    - Create the anchor
    - Create the link to the anchor
    - ANCHORS: predefined anchor (`#top`), returns you to top of page

- In IE: no need to define “top”, but do in FF – so ALWAYS DEFINE
  - To get rid of blue link lines – click on image and change brdr to 0
- o You can link to files of type: Other than html files, Proprietary software (word, excel – audience needs software on their system), Images (.gif, .jpg...), Acrobat reader files (.pdf)
- **Tables** – control web page layout and customize effects
  - o **Table width:** expressed as % - covers a percentage of the screen, fixed – width fixed on screen
    - **Assignments** – FIXED 780 pixels for width
  - o **Inserting a table** – click where you want table to appear, select insert>table...
  - o **Selecting table** – place mouse over table’s cell grids until see red outline, single-click
  - o **Merging cells:** highlight cells you want to merge, click merge in property inspector
  - o **Splitting cells:** highlight cells you want to split, select split icon, enter information
  - o **Table properties:** can control – Layout, width (pixels/percent), cell padding (space around contents of each cell), cell spacing (space between each cell in table), borders (0 = invisible)
  - o **Cell properties:** applied to one cell or group of cells: horizontal alignment, vertical alignment, width/height, cell border (colour), background color
- Web publishing – upload/“ftping” completed pages to server with Secure Shell Client or from within DW
  - o Use FTP software
  - o **File Transfer protocol:** an internet standard that allows you to upload and download files with other computers on the internet
    - NOT ALL FTP SOFTWARE can connect to a web server (security, firewalls)
    - Not all FTP clients will connect to a server – Secure Shell, Filezilla, cutepdf, Fugu
  - o Added features: Via FTP software can delete, rename, move, and copy files on a server
  - o **DOWNLOADING:** process of receiving a program, document or file via a network from another computer - Remote site (server) □ Local computer
  - o **UPLOADING:** Local computer □ Remote site (server)
  - o Need 4 pieces of information from web host:
    1. Host name (ex: panther.uwo.ca)
    2. Username

3. Password
4. URL/Web page address

- Marketing – include website address in “signature”, on all printed materials, advertisements
- Finding information on the internet: use program that searches internet for topics or keywords and points you to a site □ DIRECTORY vs SEARCH ENGINE (85% of people find sites through search engines)

### SEARCH ENGINE

-A program that enables the user to search internet sites -matching designated keywords by users and returns a list

returns a list of the documents where the keywords were found

searches a database of information about the internet

**Uses spiders, webcrawlers** to gather database information of websites; index sites and score pages and puts the information into a database

Publisher registers into database, or wait for spider

Examples: Google, altavista, Hotbot

### SUBJECT DIRECTORY

-a program that enables the user to search internet sites

-internet sites are organized by subject and topic

-allowing users to choose a subject interest and then browse the list of resources in that category

collection of websites organized by topic

Human-selected (hand-picked) internet resources are arranged and classified in hierarchical topics

**Human editors** review webpages, rank them, organize them into categorized list with brief descriptions

Wait for human editors

Yahoo, about.com, AOL, Open Directory (open directory is 1% size of google)

- **SPIDER/WEB CRAWLER**: web software that constantly searches for new web pages and follows any links
- **DATABASE**: addresses, page titles, significant words, topics
  - o search engines access the database NOT the internet sites
- **META-SEARCH ENGINE/METACRAWLER**: internet search engine which searches other search engines
  - o Uses searches of other engines, returns the “top” results, doesn’t create its own databases
- Top search providers: google (62%), yahoo, msn
- **How does Google work:**

1. **Fetch pages:** crawl and index billions of pages of WWW, performed by **Googlebot**, a “spider” which connects to web servers around the world to fetch documents. Spider gives each retrieved page a number so it can refer to the pages it fetched
  2. **Build an Index:** List every document that contains a certain word
  3. **Rank results:** rank them in terms of relevance – google uses many factors in ranking:
    - a. **PageRank algorithm** – how many **links** there are to a web page from other pages, **quality** of the linking sites
    - b. **Frequency of keywords in a webpage**
    - c. Appearance – words right next to each other
  4. **Rank Results:** make a list of documents and their scores – take the documents with the highest scores as the best matches
    - a. Google also shows snippets from each document that highlight the words the user typed
    - b. In search ranking, google returns the ranked URLs and the snippets to the user as results page
- **CACHED:** highlights where searched words are
  - **How to improve ranking of website in a search engine:**
    - o Ensure pages have full meaningful **titles**
      - The most important tag, heading people will see in search engines `<title> xxx<title>`
      - DW = the property title – important: UNIQUE property title attribute for every page
    - o Add a meta '**description**': description of the site (1-2 lines) which sometimes appears along with the title in the search results page of some search engines
      - `<meta name="Description" content = "xxx">`
    - o Add meta "**keywords**": words that your customers would enter to search to find site
      - Keywords NOT a major factor search engines consider when ranking sites because of abuse
      - `<meta name="keywords" content="x,x,x,x,x">`
      - TIPS: single words, do not repeat more than 3-5 times, use plurals, use important words in different forms, keep length between 200-500 characters (10-15 words)
      - List of occurrences of each words on a page more important
      - Special weight to keywords that appear: placement (high vs low), beginning of sentence vs embedded, proximity, headings, in title, metatag description, alt tags for graphics, generic metatags keywords, in link text for inbound links, in the URL

- o **Add your page** to the actual search engine site
  - Search engines: robots used to index sites, use meta tags keywords, title, and alt fields
  - Directories: robots not used, human editor reviews, therefore, meta tags etc DO NOT help with ranking – best to describe site accurately – make sure site completely done before submission
- o Get sites that score highly on the search engine results to link to your site
  - Integrate a blog into your website, press release, submit into social network sites, comment on other people's blogs
- o Check your competitors web pages – determine why theirs ranks higher than yours
- **Using Statistics** – knowing what visitors like and dislike about website
  - o ISP – web servers keeps logs of all visitor activity – records requests for files on site, date, time etc
    - **# of visitors**: Number of users to your site
    - **Files**: number of files retrieved from a web site
    - **Pages**: Number of distinct html files/pages looked at (stickiness)
    - **Hits**: Number of files sent to a user after a page results (includes graphic files)

### History of “Searching the Net”

- **1990**: The first tool for searching the Internet was called “**Archie**” (short for archives)
  - o Original implementation written in 1990 by **Alan Emtage**, Bill Heelan, and Peter J. Deutsch at McGill
  - o Designed to index FTP archives, allowing people to find specific files
  - o Word's first internet search engine
  - o Downloaded directory listings of all files located on public anonymous FTP servers: creating a searchable database of file names
- **1991**: “**Gopher**” – by **Mark McCahill**, Frahad Anklesaria, Paul Linder, Dan Torrey, and Bob Alberti of University of Minnesota
  - o Gopher is a distributed document (shared by computers) search and retrieval network protocol designed for the internet
  - o Its goal was similar to that of the world wide web, but now become obsolete
- **1991**: **World Wide Web** developed at CERN – **Tim Berners-Lee** (Geneva, Switzerland)

- o Problem: data difficult to access and exchange due to differing encoding formats and networking schemes
- o Several criteria: system must be flexible, compatible with numerous languages and operating systems, system must be capable of recording random links between objects; entering and correcting information is easily performed
- **1995:** April – **Yahoo** – **David Filo, Jerry Yang** – more than 10,000 employees
- **1998:** September – **Google** (search engine): **Larry Page** and **Sergey Brin** – more than 10,000 employees, management team most experienced technology professionals in the industry

**ANIMATION:** a drawing that moves, bringing the drawing to “life”

- Rely on “moving images” for effective communication
- Used for: entertainment (action, realism), Education (visualization, demonstration)
- **Why use animation?**
  - o Indicate movement
  - o Illustrate change over time
  - o Visualize 3D objects
  - o Attract attention
- Simulation of movement through a series of pictures that have objects in slightly different positions
- Each drawing is called a **FRAME**: snapshot of what is happening at a particular moment (FPS: frames per second)
  - o Movies on film – 24 fps
  - o TV – 30 fps
  - o 9000 frames for five minute cartoon – computer animation, “jerky” anything less
- In animation, each frame overlaps the previous one
- **Movement** is caused by: rapidly displaying each frame in sequence
- **Types of Animation**
  - o **Computer-based training programs:** the way something works (assembling parts, surgery)
  - o **Education:** teach applied and hands on skills (spelling, exam prep, learning instruments, athletes)
  - o **Games:** playstation, nintendo, xbox...
  - o **Web:** animated buttons, banners, text, characters, etc

- Two types of animation □ 2-D Animation (cel/path) 3-D animation
  - o **2-D Animation: Cel-Based**
    - “**Cel**” (Celluloid): clear sheet material on which images were drawn by movie animators
    - Images placed on a stationary background – background remains fixed
    - Object changes from frame to frame
    - Ex: toonz software
  - o **2-D Animation: Path-based**
    - Moves object along predetermined path on screen
    - Path: straight or any curves
    - Often object does not change (but resized or rotated)
    - Path animation easier to create than cel based animation
    - Specify beginning and end position
      - **TWEENING**: fills in intervening frames
    - Ex: powerpoint, flash, 3Dplus
    - Animation software features:
      - **Frame rate**: speed of the animation
      - **Transitions**: special effects (fade in, fade outs)
      - **User control**: play back, how many times to run
      - **Looping**: plays continuously until user stops it
  - o **3-D Animation**: involves 3 steps: Modeling, Animating, Rendering
    1. **Modeling**: defining the objects 3D shape – process of creating broad contours and structure of 3D objects and scenes (draw views – top, side, cross section)
    2. **Animating**: process of defining object's motion – defining lighting and perspective views to create change during animation
    3. **Rendering**: give objects attributes – colour, amounts of transparency, surface textures
- **RAY TRACING**: technique of adding light and shadows to a 3D image
- **Special effects**

- o **Morphing**: process of blending together two images into a series of images
  - useful for showing how image might change over time
- o **Warping**: distorts a single image – warp frown into smile
- **VIRTUAL REALITY** (VR): creates environment where user becomes part of the experience
  - o Boeing: flight simulators of airplane cockpits (hydraulic controlled on legs)
  - o CD based adventure games: point and go thru doors, stairs
  - o Hand-held equipment allows person to interact with environment
- **Animated GIFS (simple animations)**
  - o Special type of GIF file known as **animated GIF/GIF89a** that provides the animation you need
  - o Animated GIFS are formally called **Multi-block GIFS**: a series (blocks) or still GIF images within ONE single GIF file
  - o When the GIF document is viewed, the multiple images display quickly and in succession, and produce a **STREAMING ANIMATION**
  - o **Characteristics of an Animated GIF:**
    - File size is affected by: the # of colours (256 max), amount of noise in the frames (just like other GIF files)
    - Number of colors: only 256\*\*\*\*
    - No plug-ins required: require no plug-ins, and the authoring tools to create them are often free and easy to learn
      - **PLUG-IN**: a program that permits web browser to access and execute files that the browser would not normally recognize (Flash uses Shockwave)
    - No sound
- Sources of animation – lots of free software online to create GIF animations
- Other animation file types:
  - o **Animated GIFS** (.gif) (universal)
  - o **Flash** (.fla, .swf) (by Adobe)
  - o **Macromedia Director**
  - o **Sophisticated Animations**: strata 3D, Lightwave, 3d studio Max, Maya, Houdini
- Animation Software

- o **Flash Professional CS3** – multimedia authoring and playback system
  - Launched 1996 by Macromedia/Adobe bought in 2005
  - Flash popular for its animated graphics
  - Industry's most advanced authoring environment for creating interactive websites, digital experiences and mobile content
  - Why popular?
    - Professional designs, interactive content rich with videos, graphics, animation
    - Import multimedia elements from other applications
    - Support vector graphics – much more space efficient over bitmapped frames, scale up with accurate detail no matter how large the window is resized by the user
  - **\*\*Flash player is a free client application** that works with popular web browsers to play the animation
  - The standard for delivering high-impact, rich web content. Designs, animation, and application user interfaces are deployed immediately across all browsers and platforms
  - \*smaller file size

#### - Terminology

- o **KEYFRAME Animation**: animating a graphical object by creating smooth transitions between various **KEYFRAMES** (the frames that indicate the beginning and end of an objects motion path)
- o **TWEENING**: short for 'in-betweening', the process of generating intermediate frames between two images to give the appearance that the first image evolves smoothly into the second image
- o **ONION SKINNING**: 2D computer graphics term for a technique used in creating animated cartoons and editing movies to see several frames at once
  - Purpose: animator/editor can make decisions on how to create or change an image based on the previous image in the sequence

	Animated GIF	Flash	Director
<b>Created by</b>	<b>Depends</b>	<b>Flash</b>	<b>Director</b>
<b>Extension</b>	<b>Source depends .gif (movie)</b>	<b>.fla (source) .swf (movie)</b>	<b>.dir (source) .dcr (movie)</b>
<b>Size</b>	<b>Larger than normal gif</b>	<b>Vector images take up less space than GIF bitmapped images</b>	<b>Vector images take up less space than GIF bitmapped images</b>
<b>Uses</b>	<b>Banners, small areas</b>	<b>Interactive video, graphics, animation</b>	<b>More interactive sites</b>
<b>Need to play it</b>	<b>Nothing</b>	<b>Flash Player (Free and works with most browsers)</b>	<b>Web browser plug in (The Shockwave Player)</b>

NO SOUND

SOUND

SOUND

#### - Animation in the Movies

- o Digital video: 1983 Star Trek - the Wrath of Khan
- o Digital Animation: Toy Story (1995) first full length film created entirely with digital animation
- o Movies – visual effects: Terminator II, Jurassic Park Dinosaurs
- o 12 highest gross earnings made so far by computer generated animations worldwide as of 2007
- o Shrek 2 – highest grossing computer generated film

#### VIDEO

- Video uses the power of **MOTION** and **SOUND**
- **ANALOG VIDEO**: smooth electronic waves (ex: Conventional TV)
- **DIGITAL VIDEO**: converts into digital media (0s and 1s) – benefit of delivering on internet
  - o Composed of a series of bitmap graphics, each one called a **frame**
  - o Motion in a video is an illusion caused by the rapid display of several still images or frames
  - o Movies display at 24-30 fps □ computer displayed video display at 12-15 fps
  - o Characteristics:
    - Bits store Colour and Brightness data for each video frame

- Retains image quality no matter how many times it is copied
- Easily manipulated on a pc because stored in digital format
- o Kinds of digital videos:
  1. Desktop video (DTV): constructed and displayed using a personal computer
  2. Web-based video: incorporated in web pages and accessed with a browser
  3. DVD-Video: used for commercial DVDs that contain feature-length films
  4. PDA vide: small-format video designed to be viewed on a PDA or cell phone screen
- o Creating digital video (first storyboard)
  1. **Produce Video Footage.** Select equipment for filming videos and use effective filming techniques
  2. **Transfer video footage to a computer.** Use cable to cable transfer or a video capture card to move video footage from cameras, videotapes, television, and DVDs to your computer's hard disk
  3. **Edit video footage.** Use software to select video segments, arrange them into a video, and add a soundtrack
  4. **Store and play video.** Select digital video file formats for playback on desktop, web, PDA, and DVD platforms
- o Ready to make a video
  1. Pre-Production stage: Planning the video and gathering any resources you might need
    - Length of final video
    - Music or sounds, script or storyboard
    - Camcorder type and medium and format of final video
  2. Production stage: Camera work and sound recording
    - Potential for a good shot is better if you understand how to use the technical controls on camera (resolution, capturing action vs stills, night vs daytime)
  3. Post-production:
    - Downloading from camcorder to computer
    - Editing and/or encoding the finished video
    - Removing unwanted footage
    - Arranging desired footage in the correct order

- Adding music, titles, transitions, and possibly other effects
- Converting (encoding) into the correct format(s)
- o Post-Production
  1. Capture video: download video from camcorder to computer
  2. Edit Digital video (using computer, digital video software): edit it, add titles, filters, transitions, superimpose clips, synchronize audio with video, authoring software: create menus and interactivity
  3. Output Video: output to different file formats – back out to tape, the Web, CD, DVD
- **Capturing Video** – must be in **DIGITAL** form to use in multimedia application. Process:
  - o Video camera (analog video) → (analog signal) Video card → (digital signal) PC
  - o Digital camera (digital signal) → (Digital signal) PC
- Five Factors to consider when making a video:
  - 1) **Source Device**: camcorders and digital video cameras can be used to capture full-motion images (analog vs digital)
  - 2) **Video Capture Device**: video capture card needed (if using analog camcorder from analog to digital)
    - o No need if source device outputs a digital signal (such as Firewire or USB)
  - 3) **Connecting Leads**: Firewire, USB cable
  - 4) **Computer**: Download video to edit
  - 5) **Software**: capturing, editing, outputting
- **Home video Edit facilities for**: editing Home movies, creating TV productions, manufacturing CDs, authoring and uploading internet material, internet video conferencing
- **Video Capture Device**
  - o **Analog Camcorder: Need VIDEO CAPTURE CARD**
  - o **Digital Camcorder: FIREWIRE connection**
- 1. **SOURCE DEVICE**:
  - o **CAMCORDER (camera Recorder)**: device for recording video images and audio onto a storage device. To use video in a multimedia application, it must be in digital form (1s and 0s)
  - o **Analog vs. Digital camcorders**:

**ANALOG** (older Technology)

**DIGITAL** (Newer Technology)

-Records **electrical signals/pulses** directly onto a medium (like a tape) with a magnetic encoding

**Disadvantage:** Picture loses quality

□ **Video Capture card** needed to convert video from analog to digital for your computer

-Records **binary code** (string of 1s and 0s) compressed on magnetic tape or other media

**Advantage:** No image degradation

□ Plug video camera directly into computer via **Firewire (aka i.Link)** or **USB connection**

□ These are **digital connections** and allow you to “dump” footage straight from the camera to hard drive

#### - ANALOG:

- o **1983: VHS, VHS-C** format (BetaMovie) – No playback/rewind capabilities, 30 min recording
- o **1985: 8mm** format – smaller cassette size, 2 hr recording, higher recording quality
- o **1990: Video8** (original) and Hi 8 format (improved) (types of 8mm)
- o **Size comparison (smallest to largest):** Mini-DV, VHS-C, VHS

#### - DIGITAL:

- o **1994: (MiniDV)** Digital Video – smaller than 8mm cassette, tape transport size adjustment, improved audio and video quality over best analog camcorders, standard play of 60 min
- o **1999: (D8)** Digital 8 – obsolete: cassette size – large as Hi8 format (a type of 8mm)
- o **2001: (DVD)** Digital Versatile Disk
- o **2006: (HDD)** Hard Disk Drive and **(SD)** Memory stick) Solid State Media Card

#### - Types of Camcorder recording media:

- o **Videotape cassette:** recording to digital tape, like MiniDV (DV) and HDV
- o **DVD Disc:** uses recordable DVD discs for playing in a home DVD player or PC
- o **Hard Disk Drive:** HDD, saving to non-removable hard disk drives
- o **Solid State Media Card:** Saving to cards like SD and Memory stick PRO

#### - Viewing Images on TVs

**CRT Display:** Older Technology

Screen resolution 480, electron gun beam activates the dots

-Our eyes see phosphor dots on the screen

**Flat-panel Display :** PLASMA/LCD

Screen resolution 1080i/1080p, flat grid of pixels

i=interlacing, p=progressive

An electron beam (gun) activates the dots. The gun scans through the dots horizontally

A complete scan is when the gun starts at the top left and scans several times horizontally till it gets to the bottom right

**Interlacing effect** (line 1, 3, 5, 7,) (line 2, 4, 6, 8)

**Progressive effect** (Line 1,2,3,4,5,6,7...)

-each pixel has 3 sub-pixels (RGB)

- **Digital Advantage: higher resolution** (# of horizontal lines)
  - o **Digital recorders:** 480+ horizontal lines recording
  - o **Analog recorders:** 280 lines for black and white, 240 lines for color with analog recorders
- Device photos: see lecture 9 slide 32
- **VIDEO CAPTURE CARD:** needed to convert video from analog to digital for computer
  - o Placed in open expansion slot on main board of the computer
  - o Once installed, video capture cards allow you to connect a camcorder, VCR, or TV to the computer
  - o Special software enables the images to be converted from analog to digital form
- **FIREWIRE** (i.Link, IEEE1394): a means by which information could be sent from the camcorder directly to the computer
  - o A high speed digital serial data connection that allows the output of the camera to be fed directly into a computer in digitized form
  - o Digital video footage requires **13 GB of storage per hour of video**
  - o All major manufactures agreed to use a common digital tape format and a method □ Firewire (universal standard)
- **Firewire vs USB**
  - o Firewire 400 by Apple: wanted to charge per machine used, so PC used USB 1.1 instead
    - Transmitted originally at 400Mbps
    - Peer to Peer technology (can chain one camcorder to another without a computer)
  - o USB 1.1 could transmit at 12 MBps
    - Used for mice, keyboards, printers, too slow for video
    - USB 2.0 – backward compatible, transmitted at 480MBps
    - Master/Slave technology – need to connect to a computer

- o Currently – Firewire 800, transmits at 800 MBPS, expect future to transmit at 3.2 Gbps
- **Benefits of Digital**
  - o **No loss of quality:** Digital videotape can be copied almost indefinitely
  - o **No need for analog-to-digital conversion:** can be directly uploaded to digital editing systems
  - o Reduces/eliminates problems such as dropouts due to error correction associated with digital electronics
  - o **Archival (long-term) storage:** better suited for longer periods
  - o **Quality of digital recordings** is significantly better than analog recordings
- Controlling the transfer process
  - o Video capture software: doesn't matter if using analog or digital camera
  - o **Should have features:**
    - Start and stop the transfer
    - Select a file format for storing your video footage
    - Specify file name for each video clip
    - Video capture software is supplied with video editing software and with video capture devices
  - o Last major Hollywood picture to be realized as a VHS picture – ***A History of violence***
- **Uncompressed format on the digital camcorder**
  - o Almost all digital camcorders store video in **DV format** – digital video (uncompressed)
  - o Windows moves DV directly into **AVI** (which can be uncompressed or compressed) and never deals with .DV files
  - o Quick Time will convert .DV to other formats
- Colour Format for Video
  - o For pictures – **RGB** commonly used
  - o For video – **YUV (YIQ) or CbCr** (for MPEG compress)
    - **Y** □ luminance (brightness)
    - **UV (CbCr)** □ chrominance (color/hue)
  - o Black/White TV only used the Y signal – since only transmits brightness information

- o Human eye detects changes in luminance more easily
- **Color sampling**: digital video compression technique
  - o 4:1:1, 4:2:0, 4:4:4: (no color substitution) – the numbers represent colour sampling
  - o Averages out pixels to cut down on bandwidth for faster transfer rates
  - o Eye sensitivity: rods (light vs dark, black vs white – not color) cones – see color
  - o We can detect brightness better than color (more rods)
  - o What does 4:1:1: mean?
    - Assume we have 4 pixels – red, orange, blue, purple (red and blue = purple)
    - Blocks of 4 pixels averaged out, 4x1 block
    - All four pixels get forced to become purple (shades of brightness), block of 4 pixels averaged out
  - o 4:2:0 – blocks of 4 pixels averaged out – 2x2 grid

Color Sampling Method	Amount of Y (luminance)	Amount of U (color or hue)	Amount of V (color or hue)	Amount of Compression	Used in
<b>4:4:4</b>	<b>4 samples</b>	<b>4 samples</b>	<b>4 samples</b>	<b>None 12 samples for each group of 4 pixels</b>	
<b>4:2:2</b>	<b>4 samples</b>	<b>2 samples</b>	<b>2 samples</b>	<b>Reduced from 12 samples to 8, 33% reduction in storage</b>	<b>Digital Betacam format</b>
<b>4:2:0</b>	<b>4 samples</b>	<b>2 samples of either U or V, one scan line of U, then one scan line of V</b>		<b>12 to 6, 50% reduction in storage</b>	<b>HDV, MPEG-1, DVD, MPEG-2, PAL DV</b>
<b>4:1:1</b>	<b>4 samples</b>	<b>1 sample</b>	<b>1 sample</b>	<b>12 to 6, 50% reduction in storage</b>	<b>NTSC DV, miniDV digital camcorder</b>

- **Editing Digital video**
  - o Transfer videos in a series of short clips (1-2 min)
  - o Some software automatically detects frame changes
  - o **LINEAR EDITING**: before digital camcorders – consisted of recording segments from one videotape to another tape – can't jump around
  - o **NON-LINEAR EDITING**: (now) computer hard disk and video editing software
    - Several gigabytes of available storage space at least 512 MB RAM-2GB

- Edit and easily arrange video clips – any order
- o Video editing software key attributes:
  - Arrange video clips on **TIMELINE**
  - **VIDEO TRACKS** contain video segments, transitions
  - **AUDIO TRACKS** (voices, music)
  - Overlay video track with several audio tracks
  - Edit it, add titles, filters, transitions and FX, superimpose clips, synchronize audio with video output in different file formats
- **OUTPUT VIDEO**
  - o For best quality final product – store video in a Raw, noncompressed DV format for editing
  - o After trimming unwanted footage – convert video in other formats for distribution
  - o \*know which video files are compressed and which are streamed

File Type	Also known as:	Originally created by	More Info	Platforms
.mov	QuickTime movie	Apple	<ul style="list-style-type: none"> <li>•Also for audio</li> <li>•Supports MIDI</li> <li>•Streaming with QuickTime Streaming Server</li> <li>•Can watch video as it is downloaded</li> <li>•Codecs→ Animation, Sorenson Video, H.264, PlanarRGB, Cinepak</li> </ul>	Apple QuickTime player available for Mac and Windows
.avi	Audio Video Interleave	Intel	<ul style="list-style-type: none"> <li>•Codecs→ Microsoft RLE, Intel Indeo Video, Cinepak</li> </ul>	Mostly windows but Apple QuickTime player can play avi files
.rm	Real Video	Real Systems	<ul style="list-style-type: none"> <li>•High compression</li> <li>•Pick compression based on connection speed</li> <li>•Can stream with Real Server</li> <li>•Need for speed often compromises quality</li> </ul>	Cross platform Need Real Player
.wmv	Windows Media	Microsoft	<ul style="list-style-type: none"> <li>•Good compression</li> </ul>	Used with Windows Media Player
.mpg .mpeg	MPEG	Motion Picture Experts Group	<ul style="list-style-type: none"> <li>•mpeg-1→ VCD,</li> <li>•mpeg-2→ DVD,</li> <li>•mpeg-4→hand held devices (heavily compressed)</li> </ul>	Cross Platform
.flv	Flash Video	Adobe	<ul style="list-style-type: none"> <li>•Progressive download from webserver</li> <li>•Can be streamed with adobe Flash Media Server</li> <li>•Codecs→ Sorenson Spark, On2 VP6 (can have transparent video), H.264</li> </ul>	Cross Platform Need Flash Player to play a SWF file that holds the flv file

- Optimizing for web: Balance between QUALITY and FILE SIZE
  - o FILE SIZE is dependent on:
    - **Frames per second** (fps) – TV = 30 fps, Web Video = 10-15 fps

- **Picture size dimension** – Full screen = 640x680 pixels, std web frame size 160x120 pixels
  - **Colour resolution** – (24 bit, 16 bit, 8 bit) – Lower resolution  $\square$  lower quality  $\square$  smaller file
  - **Length of the clip**
- o Video data contains both Spatial and Temporal compressions
- Similarities are encoded by identifying differences:
    - Within a frame  $\square$  Spatial
    - Between frames  $\square$  temporal

**SPATIAL COMPRESSION (within a frame)**

- compress each frame individually
- Uses same techniques as JPG compression

**Codecs** that do spatial compression are:  
**Animation, PlanarRGB**

**TEMPORAL COMPRESSION (Between Frames)**

- just save info on selected frames (**keyframes**)
- all other frames just save the differences from the previous keyframe
- good when difference between current frame and keyframe is small

**Codecs** using temporal compression are:  
**Sorenson video, H.264**

- **Compression technology:** reduces the file size for transfer and storage while maintaining quality
  - o Speed transfer improved
    - **CODECS:** video compression/decompression programs – scheme for coding and decoding large amounts of data
      - STORAGE – coded
      - VIEW – Decoded
  - o Electronically compress and decompress video and related data
  - o Benefits:
    - end result smaller file size
    - large amounts of information can be stored on media or sent by e-mail
    - streamed over the internet in smaller packages but still looks good upon playback and downloads faster
  - o Two types of compression: lossless vs. lossy

**LOSSLESS COMPRESSION** (no loss of data)

**LOSSY COMPRESSION** (loss of data)

-Squeezes data into smaller space without eliminating information

-100% of data still there, similar to zipping a document

-uses a compression algorithm that reduces file size but does not lose any data

-discards “repetitive” or “redundant” data; may not be noticeable to the eye

-results in compression ratio as large as 200:1 for some

-greater ratio, poorer the decompressed image

-applied to video because quality loss not noticeable in moving images

-applied to internet streaming

\*\*applied to .jpg and .mpg formats –

“redundant” info = similar info –

20:1 compression, 1MB to only 50 kB or 1024KB to 50KB

## CODECS:

- Speed up downloads – 10 times smaller than uncompressed video files, which would take 3-5x longer
- Codecs for audio/video, streaming media, videoconferencing, mp3s, speech, screen capture
- The codec used to compress is the one needed to view

## Video Transfer for the Web

### HTTP: Hypertext Transfer Protocol

-Download the video from the host (server) to the user’s computer in its entirety then play the clip

User must wait for the download process to end

Video can be played repeatedly and copied if necessary

Suited for **SMALL** video clips

- **RTSP** – “**Streaming**” (Webcasting)

### RTSP: Real-Time Streaming Protocol

-Played directly from the sever to the user’s computer in a process called “**STREAMING**”


-RTSP allows the user to perform tasks such as pause and play

File played directly from server, thus some delay

Video is broadcast to user and after displayed, discarded

Suited for **LARGE** file and **LIVE** broadcasts

- o Requires a program to display streaming video
- o Leading programs: **Real Player, Windows Media Player, Apple QuickTime Player**
  - All 3 can: play both audio and video, handle true streaming media, provide plug-ins for use on either platform (Mac/PC) at no charge to the user
- o All 3 players work with popular video formats such as **AVI, MPEG**
- o Webcasting of video events in real time – concerts, conference speakers
- o Streaming is either **On-Demand** (stored on server and streamed on user request) or **Live** (sporting event, election results)
- **Streaming**: The process of taking large audio/video file and transmitting small, continuous amounts of that file over a network. “Steady and continuous” – File remains on server



- Small buffer space is created on the user’s computer
- Data starts downloading into it – as soon as buffer is full, file starts to play
- **Process of creating streaming files: (USED REALPRODUCER)**
  - o Locate and prepare source materials/media content
  - o Digitize and then compress files with a streaming format
  - o FTP streaming files to streaming server
  - o Link from a webpage to the streaming media/embed file on a webpage
    - HTML webpage links to a .ram file which launches the real player and links to the clip

- Saving the streaming file – Extension for RealProducer = .rm
- Advantages of streaming:
  - o Does not take up local disk space
  - o Little waiting time
  - o Deliver long duration videos
  - o Live delivery and archiving: audio and video programs can be delivered live and archived simultaneously
- Advantages of downloadable media files:
  - o Readily available independent of server – user can use it later
  - o Higher image quality (streamed videos highly compressed for efficient delivery)
  - o Step through frame-by-frame – can jump through audio/video track

Video for multimedia applications – consider:

- Source: quality tied to color resolutions, frames/sec, compression format
  - o Higher the quality of original video, the better the digitized version
- Appropriateness: due to large video file sizes and poor quality, animation could be better
- Playback systems: web-based video may require browser plug-ins
- User control: provide user with control options to start video, jump through, pause, stop, volume

### Viewing Video on the Web (and audio)

- **LARGE FILES**
  - o Files **downloaded** to the user's computer, and only then begin to play
    - Disadvantage: large files, long wait times
  - o **Progressive download**: click begins download, but after some portion had been downloaded movie starts to play
    - Disadvantage: interruptions in watching video, delay times
    - How is it done – player calculates the speed of the download and guesses when to start playing the portion it has, plan to start late enough that whole movie downloaded by the time finished watching
  - o **True streaming**: file is not downloaded at all – media begins to play as soon as it gets the packet
    - Advantages:

- Fastest but requires that the server be set up to serve streaming media
- Reduces waiting time required of the user
- Drawback: congestion on the net may cause media to stall if can't keep up with playback

### SOUND: Record ◻ process ◻ deliver

- Rely on sound to enhance multimedia applications: easily capture the attention of users, facilitate easy learning, set the mood
- On the web sound offers: Background music, narration, sound effects, Record testimonials, educate/presentations webcast, one-way audio offers on-demand radio listening, conferencing
- **What is sound:** pressure waves of air
  - o Visualize the sounds as a series of recurring waves called **WAVEFORM**
  - o **VOLUME:** the higher the wave the louder the sound
  - o **PITCH/FREQUENCY:** the closer the waves the higher the pitch
- **Sources of sound:**
  - o **Pre-packaged** (come with computer), **purchased/borrowed**, **create own** (recording program, recording studio for higher quality, electronic instruments captured in MIDI)
- **How is sound recorded**
  - o **MICROPHONE** translates movement into electrical signals (analog) then tape recorder translates the waveform from an electrical signal on a wire to a magnetic signal on a tape (analog)
  - o **Analog-to-digital converter (ADC):** ADC captures a snapshot of the electric voltage on an audio line and represents it as a digital number that can be sent to a computer
  - o **SOUND CARD:** a device that is responsible for transforming the bits stored in an audio file into music. Does 3 things:
    1. Transforms digital bits into analog waves when you play back a waveform audio file
    2. Transforms analog waves into digital bits when you make a sound recording
    3. Handles compression and decompression, if necessary
- In multimedia application, sound must be in a DIGITAL FORM (string of 1s and 0s)
  - o Sound can be recorded directly in digital form or an analog sound can be converted to a digital sound
  - o To convert analog sounds to digital sounds ◻ thousands of **SAMPLES** are taken of the sound waves and recorded as bits

- o Each dot in the sound wave photo (wavy line) represents ONE audio sample
- **Quality of digital recording depends on:**
  1. **SAMPLE RATE:** rate at which samples are captured, number of times/sec that the waveform is measured
    - **1000 samples per second = 1KHZ (1000HZ)\*\*\*\***
    - 8KHZ voice only, 22KHZ music files, 44.1KHZ used on CD
    - \*lower rate – file smaller since missing sound
  2. **SAMPLE SIZE:** resolution or precision that sample was taken (in bits)
  3. **CHANNELS:** Mono vs Stereo
    - MONO SIGNAL: one stream of data reproduced equally on both speaker channels, lose stereo operation
    - STEREO SIGNAL: consists of two streams of data working together (left and right)
      - o double the size of mono file
  4. **CODECS:** software programs that greatly REDUCE the audio file size
    - Use lossy compression: removes redundant data, quality reduced each time
- o HIGHER sampling rate and LARGER sample size, the more accurately sound can be digitized
- o Quality of the digitized sound gets better as file size increases
- o In audacity, settings are in edit>preferences
- o 1 min of recording could end up being 10MB
- **Sound editing programs characteristics:**
  - o Record sounds in different sample size and resolutions
  - o Digitize analog sounds
  - o Create special effects
  - o Save sounds in different file formats
- **Audacity software:** edit the clip, combine it with other sound files, Add transitions and FX
  - o Same for WaveStudio
- **PROCESS**

- o Once digitized sound is in the computer
- o Sound editing software
  1. Edits: unwanted noise, pauses, trimming
  2. Fade-ins, fade-outs, background music, special effects
  3. Several found files can be mixed or spliced together
- o Save the file in a format intended for the audience application
- DELIVER: to head through speakers, digital sound is sent through a digital-to-analog converter (DAC)
  - o Delivery method – powerpoint, website, CD
- **Sound on the web**
  - o File size: select small sized files, the smaller the file, the faster webpage will download
  - o File formats: consider platform support, browser support, compressed or uncompressed quality
- **Sound file formats:** know which are streamed/compressed, large/small, plug-in required

uncompressed
--------------

Key: A audio, V video					
WMP Windows Media Player, RP RealPlayer, Q QuickTime					
Ext.	Type	WMP	RP	Q	Comments
.MID	A	+	+	+	Musical Instrument Digital Interface. Digitally-created instrumental music. Sound quality varies depending on user's sound card.
.MIDI					
.WAV	A	+	+	+	Waveform extension. No plug-in necessary. Large file size.
.AIF	A	+	+	+	Audio Interchange File Format. No plug-in necessary. Large file size.
.AIFF					
.MP3	A	+	+	+	Motion Picture Experts Group Audio, MPEG-Audio Layer 3. Best sound quality. Can be streamed using packet streaming. Compressed, but files are larger than .RA format files.
.RA	A		+		RealAudio. High degree of compression, but not supported by all players. Can be streamed. Smaller file size but quality not as good as .MP3.
.MPG	V	+	+	+	Motion Picture Experts Group video. Most universally-supported format. Can be streamed. Files in MPEG format can be saved as QuickTime movies (see .MOV below).
.MPEG					
.RM	V		+		RealMovie. Can embed player with .RAM file. Can be streamed, but user must have RealPlayer plug-in.
.RAM					
.MOV	V	+	+	+	QuickTime movie. This file extension can be used for files of various types, including MPEG. Can be streamed, but must have plug-in.

- **AIFF** (audio interchange format) - .aif – LOSSLESS
  - o Excellent sound quality, supported in browsers without a plug-in
  - o Audio data is stored raw – **uncompressed** format, files LARGE
- **MP3** (MPEG-1 Layer 3) - .mp3 – LOSSY
  - o Good sound quality, even though file **compressed**, can be streamed over the web
  - o Requires standalone player or browser plug-in
- **REALAUDIO** - .ra .rx
  - o High degree of **compression** produces smaller files, data can be **streamed** over the web
  - o Sound quality is not up to the standards of other formats, requires a player/plug-in
- **WAVE** - .wav - LOSSLESS
  - o Good sound quality: supported in browsers without a plug-in
  - o Audio data is stored in raw, **uncompressed** format so files are very large
- **LOSSY vs LOSSLESS**
  - o **.aiff** and **.wav** – LOSSLESS
  - o **.mp3** is LOSSY: with medium quality, a typical song compressed to 1/10 the size it would have been on a CD

- o **.wma** and **.mp4** are LOSSY and allow for built-in lockdowns which is why Microsoft and apple pushing
- **MIDI**: Musical instrument Digital interface
  - o Classified as SYNTHESIZED sound
  - o Contains instructions for creating the pitch, volume and duration of notes that sound like various musical instruments
  - o Disadvantage: does not produce high-quality vocals, no full resonance of “real” sound
  - o Advantage: midi files are more compact – 3 min of MIDI = 10 KB, 3 min other = 15 MB
  - o \*compact, but can't get full sound
  - o **MIDI FORMAT**
    1. Music composition software (ie Finale)
    2. Create your own tunes
    3. Input directly from a MIDI instrument to your computer
    4. Edit notes/combine parts for several instruments
- Listening to Audio on the Web – problem large files

**Downloadable**

## Advantages:

- once downloaded, accessed over again
- uses HTTP protocol thus, no need for media server

## Disadvantages:

- longer time to download
- more disk space on computer

**Streaming**

## Advantages:

- users have random access to the data
- consumers RAM only while being played and purged after viewing

## Disadvantages:

- requires high bandwidth
- requires specific media server to transfer data

- Streamed video □ broadcast TV
- Streamed audio □ broadcast radio
- Lower bandwidth required □ streaming successful for audio
- Embedding code into a webpage
  - o Linking to the sound file
  - o Embed the sound file