

# ECOR 1010

## Lecture 9


Part 1 - 3D Computer-based  
Rendering with Creo Parametric  
(Pro/E Wildfire)

# Creo Parametric (Pro/Engineer Wildfire)

- Creo Parametric (Pro/Engineer) is a set of programs used in the design, analysis, and manufacturing of products
  - Developed by Parametric Technologies Corporation (PTC), MA, USA

# Creo Parametric (Pro/Engineer Wildfire)

- Pro/Engineer revolutionized the CAD world in the late 1980s
- PTC was the first vendor to offer a *parametric*, feature-based solid-modeling design platform
- Creo includes visual realism with real-time photo rendering
  - adds textures, reflections, shadows, and backgrounds to your model



# Parametric

- The values of the parameters assigned to the different attributes/dimensions of the model features define the physical shape of the part
- Important changes can be easily incorporated at any point during the design process
- The changes propagate through the model automatically

# Creo Parametric (Pro/Engineer Wildfire)




# Who Uses Creo?

- Creo is often the software of choice for product development because it is 'relatively' easy to use and you can work with people over the Web
- Used in aerospace, automotive, consumer products and electronics, defence, education, heavy equipment, industrial equipment, life sciences, plastics, shipbuilding, telecommunications, transportation, and more ...

# Creo as an Industry Standard



- Since its first release, PTC has developed an assortment of additional software modules for just about every product development industry
  - sheet metal operations,
  - piping layout,
  - mold design,
  - wiring harness design,
  - NC (numerical control) machining,
  - etc ...

# Wide Range of Products designed with Creo (Pro/E)



# Creo as an Industry Standard

Pro/MECHANICA  
FEM analysis



# Creo as an Industry Standard

- Creo enables the user to create fully detailed standard engineering working drawings almost automatically after model generation


# Creo as an Industry Standard

- 3D visualization and modeling capabilities save time during the design phase – you can see what you are proposing
- If a dimension is changed, the solid model will be automatically upgraded
- Prototypes can be produced directly from solid models because they are based on highly accurate geometric models

# Solid Modeling


- Solid models are representations of the part or product as it will appear when manufactured
- Solid models are a collection of elements that act as a single object
  - A Creo solid has the intelligence to understand that it is a single body with volume, and mass (if assigned density)
- The computer model will contain all the *parametric* information that a real solid object has
- Wireframe models (as done with 2D CAD systems) are inadequate for many design, manufacturing and visualization tasks

# Solid Modeling




**3D Wireframe**

**Solid**




**Disc Brake Caliper**

# Solid Modeling



The 3-Pronged Blivot -  
A Non-realizable Object



Could your machine shop make this?

Today you can !



# Feature-Based

- In Creo, solid parts (or bodies) are constructed with a series of geometric operations, much like a sculpting process
- Each separate operation (or shape) is called a “feature”
  - Each feature has its own defining characteristics
- A model is created by defining a series of features which can be added to, or subtracted from, the previous set of features

# Feature-Based

There are many types of features that you can use...

- **Protrusion** is a profile used to add material.
- **Cut** is a profile used to remove material from an existing body
- **Rounds** and **Fillets** are added to strengthen the part
- **Holes** can be created using a number of different options



# Reading Assignment

- Read Chapter 16
  - It will help you in your labs and in your project


# ECOR 1010

## Lecture 9

Part 2 - Rapid Prototyping  
with 3D Printing

# What is 3D Printing?

Like the 'Replicator'  
in StarTrek



# What is 3D Printing?



See: **Lisa Harouni: A primer on 3D printing**

[http://www.ted.com/talks/lisa\\_harouni\\_a\\_primer\\_on\\_3d\\_printing.html](http://www.ted.com/talks/lisa_harouni_a_primer_on_3d_printing.html)

or

[http://www.youtube.com/watch?v=OhYvDS7q\\_V8](http://www.youtube.com/watch?v=OhYvDS7q_V8)

# The Basic Process of Rapid Prototyping with 3D Printing

- All current rapid prototyping techniques employ the same basic five-step process
  1. Create a CAD model of the design
  2. Convert the CAD model to STL format
  3. Slice the STL file into thin cross-sectional layers
  4. Build the model one layer atop another
  5. Clean and finish the model

# STL Files


- Stereolithography (STL) files were introduced in software by 3D Systems of Valencia, CA, as a method for storing info about 3D objects
- The STL (.stl) file format is an industry standard data transmission format
  - Used in Rapid Prototyping to produce physical 3D models or replicas

# STL Files

- STL files reproduce an object's 3D geometry by storing a set number of facets or 3D triangles in a complex digital model
- After storing the outer and/or inner surface of a 3D object as facets in an STL file, the digital model can be manipulated, and a physical representation of a 3D model can be made

# STL Files

- The more complex the model, the more triangles produced, and the larger the STL file



**Figure 17.1** Conversion from Pro/E. prt file to. stl file.

# Additive and Subtractive RP

- There are two main methods of rapid prototyping, which are derived from similar approaches in sculpture
  - Additive Rapid Prototyping (ARP)
  - Subtractive Rapid Prototyping (SRP)

# Additive and Subtractive RP

- Subtractive Rapid Prototyping (SRP):
  - The machine starts out with a block of plastic and uses a delicate cutting tool to carve away material, layer by layer to match the digital object; this is similar to numerical controlled (NC) machining
- Additive Rapid Prototyping (ARP):
  - The machine reads in data from a CAD drawing, and lays down successive layers of liquid plastic, or some other building material, and in this way builds up the model from a long series of planar cross section layers

# Subtractive Rapid Prototyping

- Great for testing as the final material can be milled
- Uses a wide variety of inexpensive materials, including polyurethane, resin, ABS\* plastic, aluminum and brass
- Prototypes take less time to produce and also are less expensive
- When the prototype is done, it requires no hand finishing

\* (acrylnitrilebutadene styrene)

# Subtractive Rapid Prototyping



Shown with available options

Subtractive Rapid  
Prototyping Machine  
Roland DG – MDX 540


MAKING MODELS  
WITH YOUR  
MDX-540 MILLING  
MACHINE

# Additive Rapid Prototyping Techniques

- Most commercially available additive rapid prototyping machines use one of 6 techniques:
  1. Stereolithography
  2. Laminated Object Manufacturing
  3. Selective Laser Sintering
  4. Fused Deposition Modeling
  5. Solid Ground Curing
  6. 3-D Ink-Jet Printing

# 1: Stereolithography (SL)

- Patented in 1986, stereolithography started the rapid prototyping revolution
- Uses a light-sensitive liquid polymer
- Builds 3D models from liquid photosensitive polymers that solidify when exposed to ultraviolet light




Schematic diagram of the stereolithography process

# 1: Stereolithography (SL)

- Excellent for making complex prototypes with fine details
- Favourite in the aerospace industry
  - the most common application is producing wind tunnel models
- Inexpensive compared to traditional machining

# 2: Laminated Object Manufacturing



- Developed by Helisys of Torrance, CA
- Layers of adhesive-coated sheet material are bonded together to form a prototype
- Low cost as raw material is readily available
- Because there is no chemical reaction involved, parts can be made quite large




# 3: Selective Laser Sintering

- Developed by Carl Deckard for his master's thesis at the University of Texas and patented in 1989
- Uses a laser beam to selectively fuse powdered materials, such as nylon, elastomer, and metal, into a solid object

*How the SLS System Works*



# 4: Fused Deposition Modeling (FDM)




- Developed by Scott Crump in 1988
- Stratasys, of Eden Prairie, MN makes a variety of FDM machines ranging from fast concept modellers to slower, high-precision machines
- Materials include ABS, elastomer, polycarbonate, polyphenolsulfone, and investment casting wax

# 4: Fused Deposition Modeling (FDM)

- Specializes in building small, durable, handheld components
- Although improved in recent years, surface finish and accuracy are not among the strongest points of FDM
- The Dimension BST 3D-Printer in 2230 uses the FDM Process

# 5: Solid Ground Curing (SGC)



- Invented and developed by Cubital Inc. of Israel
- Similar to stereolithography (SL) in that both use ultraviolet light to selectively harden photosensitive polymers
- Unlike SL, SGC cures an entire layer at a time

# 6: 3-D Ink-Jet Printing

- Ink-Jet Printing refers to an entire class of machines that employ ink-jet technology
- The first was 3D Printing (3DP), developed at MIT and licensed to several selected companies
- Parts are built upon a platform in a bin of powder material selectively hardened with binder deposited with the print head
  - This process is very fast, but produces brittle parts with a slightly grainy surface
- The 3D-Printer Z-Corp 400 in 2260 is an example of this technology

# The Dimension BST

- One of the 3D-printers available for your use





# The Dimension Process

- Based on the patented Stratasy's FDM process, Dimension builds functional 3D models from the bottom up, one layer at a time using ABS (acrylonitrilebutadiene styrene) plastic
- STL files are imported into Catalyst™ software which automatically slices and orients the parts and creates any necessary support structures

# The Dimension Process

- A thin filament of ABS plastic is passed through a liquefier
- An extrusion head deposits the material in layers in a semi-molten state and the prototype is produced
- After completion of the build, support structures are simply removed



# The Z400 3D-Printer



- One of the 3D printers available for your use

# The Future?



WAKE FOREST INSTITUTE FOR REGENERATIVE MEDICINE

See:

[http://www.ted.com/talks/anthony\\_atala\\_printing\\_a\\_human\\_kidney.html](http://www.ted.com/talks/anthony_atala_printing_a_human_kidney.html)

# Reading Assignment

- You should have now read Chapters 12 to 17

# Mid-Term Exam Thursday

**Oct. 13**

- All Lecture Material to today
- All Textbook Reading Assignments
- Laboratory Assignments 1 to 3
- Review Class Next Week
- **No TSE lecture tomorrow, Friday Oct. 7**