

STUDENT NUMBER: _____ STUDENT'S LAST NAME _____

Assignment 1 Assigned : Jan 13 Due Jan 27: 6:00 PM

Total Points: 50 (4 points for each correctly solved problem+10 points for presentation).

For full marks the solution should be clear and neat with clear diagram if needed. In the case of longer problems the main arguments should be presented in the space provided, while detailed calculations should be presented on the back of the page.

1 By algebraic manipulation of the first two kinematic equations for one-dimensional motion:

$$1)v_f = v_i + at \qquad 2)x_f = x_i + v_i t + \frac{1}{2}at^2$$

Obtain the other two kinematic equations: 3) $v_f^2 - v_i^2 = 2a\Delta x$ 4) $x_f = x_i + \frac{1}{2}(v_i + v_f)t$

2. The driver of a car slams on the brakes when he sees a tree blocking the road. The car slows uniformly with an acceleration of -5.60 m/s^2 for 4.20 s , making straight skid marks 62.4 m long ending at the tree. With what speed does the car then strike the tree?

3 The height of a helicopter above the ground is given by $h = 3.00t^3$, where h is in meters and t is in seconds. After 2.00 s , the helicopter releases a small mailbag. How long after its release does the mailbag reach the ground?

STUDENT NUMBER: _____ STUDENT'S LAST NAME _____

Assignment 1 Cont.


4 A rocket is fired vertically upward from a well. A catapult gives it initial velocity 80.0 m/s at ground level. Its engines then fire and it accelerates upward at 4.00 m/s^2 until it reaches an altitude of 1 000 m. At that point its engines fail and the rocket goes into free fall, with an acceleration of -9.80 m/s^2 . (a) How long is the rocket in motion above the ground? (b) What is its maximum altitude? (c) What is its velocity just before it collides with the Earth? (You will need to consider the motion while the engine is operating separate from the free-fall motion)

5 A rock is dropped from rest into a well. (a) The sound of the splash is heard 2.80 s after the rock is released from rest. How far below the top of the well is the surface of the water? The speed of sound in air (at the ambient temperature) is 336 m/s. (b) **What If?** If the travel time for the sound is neglected, what percentage error is introduced when the depth of the well is calculated?
/USE THE OPPOSITE SIDE TO PROVIDE THE SOLUTION

STUDENT NUMBER: _____ STUDENT'S LAST NAME _____

- 6 Two railroad tracks intersect at right angles at station O . At 10AM the train A, moving west with constant speed of 60 km/h, leaves the station O . One hour later train B, moving south with the constant speed of 70 km/h, passes through the station O . Find minimum distance between these trains.


- 7 John who is member of certain NGO has missed the meeting of his protest group at the refinery, and now needs to get to the oil rig in the shortest time to join the demonstrators who are trying to disrupt the work of the petroleum company. John can run at 8km/h but can paddle only 2km/h.
- a) How far from the Refinery (along the shore) should John enter the water
- b) What is the minimum time it will take to get to the oil rig $L=12\text{km}$, $d=4\text{km}$



- 8 An artillery shell is fired with an initial velocity of 300 m/s at 53.0° above the horizontal. It explodes on a mountainside 42.0 s after firing. What are the horizontal and vertical, coordinates (x and y) where the shell explodes, relative to its firing point.

STUDENT NUMBER: _____ STUDENT'S LAST NAME _____

- 9 When baseball players throw the ball in from the outfield, they usually allow it to take one bounce before it reaches the infield, on the theory that the ball arrives sooner that way. Suppose that the angle at which a bounced ball leaves the ground is the same as the angle at which the outfielder threw it, as in Figure P4.55, but that the ball's speed after the bounce is one half of what it was before the bounce. (a) Assuming the ball is always thrown with the same initial speed, at what angle θ should the fielder throw the ball to make it go the same distance D with one bounce (blue path) as a ball thrown upward at 45.0° with no bounce (green path)? (b) Determine the ratio of the times for the one-bounce and no-bounce throws.



- 10 One strategy in a snowball fight is to throw a snowball at a high angle over level ground. While your opponent is watching the first one, a second snowball is thrown at a low angle timed to arrive before or at the same time as the first one. Assume both snowballs are thrown with a speed of 25.0 m/s . The first one is thrown at an angle of 70.0° with respect to the horizontal. (a) At what angle should the second snowball be thrown to arrive at the same point as the first? (b) How many seconds later should the second snowball be thrown after the first to arrive at the same time?