

Question 2 (15 marks)

An instructor develops a multiple-choice exam for an introductory statistics course. A student, who didn't study, randomly guesses on each question. Given that the probability of guessing correctly on each question is equal to 0.25, answer the following questions.

- a. Suppose the exam has 10 questions;
- i. What is the probability that the student will correctly guess less than 3 questions? *(3 marks)*

 - ii. What is the probability that the student will correctly guess more than 3 questions? *(3 marks)*

 - iii. What is the average grade that you would expect the student to obtain by guessing? *(2 marks)*
- b. Suppose there are only 5 questions, what is the probability of scoring 100% by guessing? *(2 marks)*
- c. In a class of 18 students, there are 7 males and 11 females. A subcommittee of 5 students will be formed to represent the class at a case competition. What is the probability that the subcommittee contains more females than males? *(5 marks)*

Question 3 (15 marks)

- a. Suppose you know that the number of accidents on a particular stretch of Highway 20 averages 2 per month. Assume that the number of accidents follows the Poisson distribution.
- i. What is the probability that at least 3 accidents will occur during the next month? *(6 marks)*

 - ii. In the next two months, what is the probability that there will be exactly 2 accidents? *(4 marks)*
- b. If the time between accidents follows an exponential distribution, what is the probability that 2 months will pass before an accident occurs? *(5 marks)*

Question 4 (20 marks)

In a recent survey of 250 teenagers, 63% of the teenagers indicated that they had been to a movie within the past month. 75% of those teenagers who had seen a movie also had gone out to dinner in the past month, while only 65% of the teenagers who had not seen a movie had been out to dinner in the past month. Define the random variables as follows:

$X = 1$ if teenager had been to movie; $X = 0$ otherwise

$Y = 1$ if teenager had been out to dinner; $Y = 0$ otherwise

- a. Find the joint probability distribution of X and Y and present it in a table. (8 marks)
- b. Find the conditional probability function of X given $Y = 1$. What does this distribution tell you? (5 marks)
- c. Based on your answer to part (b), above, are the events gone to a movie in the past month and gone out to dinner in the past month independent? **Explain.** (4 marks)
- d. Find and interpret the covariance of X and Y . (3 marks)

Table 2 Probability Function of the Binomial Distribution

The table shows the probability of x successes in n independent trials, each with probability of success P . For example, the probability of four successes in eight independent trials, each with probability of success .35, is .1875.

n	x	P									
		.05	.10	.15	.20	.25	.30	.35	.40	.45	.50
1	0	.9500	.9000	.8500	.8000	.7500	.7000	.6500	.6000	.5500	.5000
	1	.0500	.1000	.1500	.2000	.2500	.3000	.3500	.4000	.4500	.5000
2	0	.9025	.8100	.7225	.6400	.5625	.4900	.4225	.3600	.3025	.2500
	1	.0950	.1800	.2550	.3200	.3750	.4200	.4550	.4800	.4950	.5000
	2	.0025	.0100	.0225	.0400	.0625	.0900	.1225	.1600	.2025	.2500
3	0	.8574	.7290	.6141	.5120	.4219	.3430	.2746	.2160	.1664	.1250
	1	.1354	.2430	.3251	.3840	.4219	.4410	.4436	.4320	.4084	.3750
	2	.0071	.0270	.0574	.0960	.1406	.1890	.2389	.2880	.3341	.3750
	3	.0001	.0010	.0034	.0080	.0156	.0270	.0429	.0640	.0911	.1250
4	0	.8145	.6561	.5220	.4096	.3164	.2401	.1785	.1296	.0915	.0625
	1	.1715	.2916	.3685	.4096	.4219	.4116	.3845	.3456	.2995	.2500
	2	.0135	.0486	.0975	.1536	.2109	.2646	.3105	.3456	.3675	.3750
	3	.0005	.0036	.0115	.0256	.0469	.0756	.1115	.1536	.2005	.2500
	4	.0000	.0001	.0005	.0016	.0039	.0081	.0150	.0256	.0410	.0625
5	0	.7738	.5905	.4437	.3277	.2373	.1681	.1160	.0778	.0503	.0312
	1	.2036	.3280	.3915	.4096	.3955	.3602	.3124	.2592	.2059	.1562
	2	.0214	.0729	.1382	.2048	.2637	.3087	.3364	.3456	.3369	.3125
	3	.0011	.0081	.0244	.0512	.0879	.1323	.1811	.2304	.2757	.3125
	4	.0000	.0004	.0022	.0064	.0146	.0284	.0488	.0768	.1128	.1562
	5	.0000	.0000	.0001	.0003	.0010	.0024	.0053	.0102	.0185	.0312
6	0	.7351	.5314	.3771	.2621	.1780	.1176	.0754	.0467	.0277	.0156
	1	.2321	.3543	.3993	.3932	.3560	.3025	.2437	.1866	.1359	.0938
	2	.0305	.0984	.1762	.2458	.2966	.3241	.3280	.3110	.2780	.2344
	3	.0021	.0146	.0415	.0819	.1318	.1852	.2355	.2765	.3032	.3125
	4	.0001	.0012	.0055	.0154	.0330	.0595	.0951	.1382	.1861	.2344
	5	.0000	.0001	.0004	.0015	.0044	.0102	.0205	.0369	.0609	.0938
	6	.0000	.0000	.0000	.0001	.0002	.0007	.0018	.0041	.0083	.0156
7	0	.6983	.4783	.3206	.2097	.1335	.0824	.0490	.0280	.0152	.0078
	1	.2573	.3720	.3960	.3670	.3115	.2471	.1848	.1306	.0872	.0547
	2	.0406	.1240	.2097	.2753	.3115	.3177	.2985	.2613	.2140	.1641
	3	.0036	.0230	.0617	.1147	.1730	.2269	.2679	.2903	.2918	.2734
	4	.0002	.0026	.0109	.0287	.0577	.0972	.1442	.1935	.2388	.2734
	5	.0000	.0002	.0012	.0043	.0115	.0250	.0466	.0774	.1172	.1641
	6	.0000	.0000	.0001	.0004	.0013	.0036	.0084	.0172	.0320	.0547
	7	.0000	.0000	.0000	.0000	.0001	.0002	.0006	.0016	.0037	.0078
8	0	.6634	.4305	.2725	.1678	.1001	.0576	.0319	.0168	.0084	.0039
	1	.2793	.3826	.3847	.3355	.2670	.1977	.1373	.0896	.0548	.0312
	2	.0515	.1488	.2376	.2936	.3115	.2965	.2587	.2090	.1569	.1094
	3	.0054	.0331	.0839	.1468	.2076	.2541	.2786	.2787	.2568	.2188
	4	.0004	.0046	.0185	.0459	.0865	.1361	.1875	.2322	.2627	.2734
	5	.0000	.0004	.0026	.0092	.0231	.0467	.0808	.1239	.1719	.2188
	6	.0000	.0000	.0002	.0011	.0038	.0100	.0217	.0413	.0703	.1094
	7	.0000	.0000	.0000	.0001	.0004	.0012	.0033	.0079	.0164	.0312
	8	.0000	.0000	.0000	.0000	.0000	.0001	.0002	.0007	.0017	.0039


(continued)

Table 2 Probability Function of the Binomial Distribution (*Continued*)

<i>n</i>	<i>x</i>	<i>P</i>									
		.05	.10	.15	.20	.25	.30	.35	.40	.45	.50
9	0	.6302	.3874	.2316	.1342	.0751	.0404	.0207	.0101	.0046	.0020
	1	.2985	.3874	.3679	.3020	.2253	.1556	.1004	.0605	.0339	.0176
	2	.0629	.1722	.2597	.3020	.3003	.2668	.2162	.1612	.1110	.0703
	3	.0077	.0446	.1069	.1762	.2336	.2668	.2716	.2508	.2119	.1641
	4	.0006	.0074	.0283	.0661	.1168	.1715	.2194	.2508	.2600	.2461
	5	.0000	.0008	.0050	.0165	.0389	.0735	.1181	.1672	.2128	.2461
	6	.0000	.0001	.0006	.0028	.0087	.0210	.0424	.0743	.1160	.1641
	7	.0000	.0000	.0000	.0003	.0012	.0039	.0098	.0212	.0407	.0703
	8	.0000	.0000	.0000	.0000	.0001	.0004	.0013	.0035	.0083	.0176
	9	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0003	.0008	.0020
10	0	.5987	.3487	.1969	.1074	.0563	.0282	.0135	.0060	.0025	.0010
	1	.3151	.3874	.3474	.2684	.1877	.1211	.0725	.0403	.0207	.0098
	2	.0746	.1937	.2759	.3020	.2816	.2335	.1757	.1209	.0763	.0439
	3	.0105	.0574	.1298	.2013	.2503	.2668	.2522	.2150	.1665	.1172
	4	.0010	.0112	.0401	.0881	.1460	.2001	.2377	.2508	.2384	.2051
	5	.0001	.0015	.0085	.0264	.0584	.1029	.1536	.2007	.2340	.2461
	6	.0000	.0001	.0012	.0055	.0162	.0368	.0689	.1115	.1596	.2051
	7	.0000	.0000	.0001	.0008	.0031	.0090	.0212	.0425	.0746	.1172
	8	.0000	.0000	.0000	.0001	.0004	.0014	.0043	.0106	.0226	.0439
	9	.0000	.0000	.0000	.0000	.0000	.0001	.0004	.0016	.0042	.0098
	10	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0003	.0010
11	0	.5688	.3138	.1673	.0859	.0422	.0198	.0088	.0036	.0014	.0005
	1	.3293	.3835	.3248	.2362	.1549	.0932	.0518	.0266	.0125	.0054
	2	.0867	.2131	.2866	.2953	.2581	.1998	.1395	.0887	.0513	.0269
	3	.0137	.0710	.1517	.2215	.2581	.2568	.2254	.1774	.1259	.0806
	4	.0014	.0158	.0536	.1107	.1721	.2201	.2428	.2365	.2060	.1611
	5	.0001	.0025	.0132	.0388	.0803	.1321	.1830	.2207	.2360	.2256
	6	.0000	.0003	.0023	.0097	.0268	.0566	.0985	.1471	.1931	.2256
	7	.0000	.0000	.0003	.0017	.0064	.0173	.0379	.0701	.1128	.1611
	8	.0000	.0000	.0000	.0002	.0011	.0037	.0102	.0234	.0462	.0806
	9	.0000	.0000	.0000	.0000	.0001	.0005	.0018	.0052	.0126	.0269
	10	.0000	.0000	.0000	.0000	.0000	.0000	.0002	.0007	.0021	.0054
	11	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0002	.0005
12	0	.5404	.2824	.1422	.0687	.0317	.0138	.0057	.0022	.0008	.0002
	1	.3413	.3766	.3012	.2062	.1267	.0712	.0368	.0174	.0075	.0029
	2	.0988	.2301	.2924	.2835	.2323	.1678	.1088	.0639	.0339	.0161
	3	.0173	.0852	.1720	.2362	.2581	.2397	.1954	.1419	.0923	.0537
	4	.0021	.0213	.0683	.1329	.1936	.2311	.2367	.2128	.1700	.1208
	5	.0002	.0038	.0193	.0532	.1032	.1585	.2039	.2270	.2225	.1934
	6	.0000	.0005	.0040	.0155	.0401	.0792	.1281	.1766	.2124	.2256
	7	.0000	.0000	.0006	.0033	.0015	.0291	.0591	.1009	.1489	.1934
	8	.0000	.0000	.0001	.0005	.0024	.0078	.0199	.0420	.0762	.1208
	9	.0000	.0000	.0000	.0001	.0004	.0015	.0048	.0125	.0277	.0537
	10	.0000	.0000	.0000	.0000	.0000	.0002	.0008	.0025	.0068	.0161
	11	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0003	.0010	.0029
	12	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0002

APPENDIX TABLES

Table 1 Cumulative Distribution Function, $F(z)$, of the Standard Normal Distribution Table



z	0	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997

Dr. William L. Carlson, prepared using Minitab 16.